CHEMOSPHERE

SUBJECT AND AUTHOR INDEX

Volume 15, 1986



Pergamon Press: Oxford New York Beijing Frankfurt São Paulo Sydney Tokyo Toronto

EXECUTIVE EDITOR

Dr. T. Stephen, 8 Lewis Close, Risinghurst, Headington, Oxford OX3 8JD, U.K.

POLICY BOARD

Chemistry and Biochemistry

— Professor O. Hutzinger (Alfreda Hutzinger, Editorial Secretary), University of Bayreuth, Chair of Ecological Chemistry and Geochemistry, Postfach 3008, D-8580 Bayreuth, G.F.R.

Biology

— Dr. J. Norris (Director of Group Research, Cadbury Schweppes Ltd.), 32 Redland Grove, Redland, Bristol, BS6 6PR. U.K.

Ecotoxicology

 Dr. W. Klein, Fraunhofer-Institut für Umweltchemie und Ökotoxikologie, Grafschaft/Hochsauerland, D-5948 Schmallenberg, G.F.R.

Pharmaceutical Organic Chemistry

 Dr. K. Takeda, Shionogi Research Laboratory, Fukushima-ku, Osaka, Japan

Toxicology

— Professor S. Safe, Veterinary Physiology and Pharmacology, Texas A and M University, College Station, TX 77843, U.S.A.

PARTICIPATING BOARD

Chemistry and Biochemistry

Prof. Dr. K. Ballschmiter, Universität Ulm (MNH), Abteilung Analytische Chemie, Oberer Eselberg 0 26, D-7900 Ulm, G.F.R. Prof. T. F. Bidleman, Department of Chemistry and Marine Science Program, University of South Carolina, Columbia SC 29208, U.S.A.

Dr. R. E. Clement, Ontario Ministry of the Environment, P.O. Box 213, Resources Road, Rexdale, Ontario M9W 2L1, Canada Dr. W. Giger, Swiss Federal Institute of Technology, Institute for Water Research and Water Pollution Control (EAWAG), CH-8600 Dubendorf, Switzerland

Prof. R. A. Hites, School of Public and Environmental Affairs, 400E 7th Street, Indiana University, Bloomington, IN 47405, U.S.A.

Dr. M. A. K. Khalil, Oregon Graduate Center, 19600 N.W. Von Neumann Drive, Beaverton, OR 97006–1999, U.S.A.

Prof. D. Mackay, Department of Chemical Engineering, University of Toronto, Canada M5S 1A4

Dr. T. Mill, Stanford Research International, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.

Dr. H. Parlar, Gesellschaft für Strahlen- und Umweltforschung MBH München, Institut für Ökologische Chemie, D8050 Freising-Attaching, G.F.R.

Prof. C. Rappe, Department of Organic Chemistry, University of Umea, S-901 87, Umea, Sweden

Dr. G. Sundström, Health and Environmental Sciences, Dow Chemical Europe, CH-8810 Horgen, Switzerland

Prof. Dr. P. R. Wallnöfer, Bayerische Landesanstalt für Ernährung, Menzinger Strasse 54, 8000 München, G.F.R.

Dr. V. Zitko, Program Head, Fisheries Environmental Research, Fisheries and Environmental Sciences, Department of Fisheries and Oceans, Biological Station, St. Andrews, New Brunswick, Canada EOG 2XO

Biology

Dr. A. G. Catroux, Laboratoire de Microbiologie des Sols, 7 rue Sully, 21 Dijon, France

Prof. G. D. Floodgate, Department of Marine Biology, Marine Science Laboratories, Menai Bridge, Anglesey LL59 5EH, U.K. Prof. C. Nalewajko, Scarborough College, University of Toronto, West Hill, Ontario M1C 1A4, Canada Ecotoxicology

Dr. G. C. Butler, 4694 West 13th Avenue, Vancouver BC, Canada V6R 2V7

Prof. Dr. D. Calamari, Istituto di Entomologia, Facoltà di Agraria, Università degli Studi di Milano, Via Celoria 2, 1–20133 Milano, Italy

Dr. W. Ernst, Institut für Meeresforschung, Amhandelshaven 12, 2850 Bremerhaven, G.F.R.

Prof. M. Goto, Institute of Ecotoxicology, Gakushuin University, Faculty of Science, 151 Merjiro, Toshima-Ku, Tokyo 171, Japan

Dr. P. C. Kearney, Chief, Pesticide Degradation Laboratory, Agricultural Environmental Quality Institute, U.S. Department of Agriculture, Beltsville, MD 20750, U.S.A.

Prof. F. Schmidt-Bleek, OECD 2, Rue André-Pascal F-75775, Paris Cedex 16, France

Prof. R. Truhaut, Université de Paris, 4 Avenue Del Observatory, Centre Faculté de Pharmacie, 75006 Paris 6, France

Pharmaceutical Organic Chemistry

Dr. C. Harinasuita, The CCB/TROMPMED Central Office, 420/6 Rajvithi Road, Bangkok 4, Thailand

Dr. C. Mitoma, Stanford Research Institute, 333 Ravenswood Avenue, Menlo Park, CA 94025, U.S.A.

Toxicology

Dr. J. W. Bridges, University of Surrey, Institute of Industrial and Environmental Health and Safety, Guildford, Surrey GU2 5XH, U.K.

Prof. J. V. Bruckner, Division of Toxicology, University of Houston, Health Science Center, Houston, Texas, U.S.A. Dr. V. H. Freed, Oregon State University, Head of Department of Agricultural Chemistry, Corvallis, OR 97331, U.S.A. Prof. N. Imura, School of Pharmaceutical Sciences, Kitasato University, 9–1 Shirokane 5 chome, Minato-ku, Tokyo 108, Japan

Prof. Dr. J. H. Koeman, Agricultural University, Bio-technion de Dreijen, 12/7603 BC Wageningen, The Netherlands Dr. E. Takabatake, Satsunan University, Faculty of Pharmaceutical Sciences, 45-1 Nagaotoge-cho, Hirakata,

Osaka 573-01, Japan

Published monthly. Copyright © 1987 Pergamon Journals Ltd.

Subscription and Advertising Enquiries

Subscription and advertising enquiries from customers in North America should be sent to: Pergamon Journals Inc., Maxwell House, Fairview Park, Elmsford, NY 10523, U.S.A., and for the remainder of the world to: Pergamon Journals Ltd., Headington Hill Hall, Oxford OX3 0BW, U.K.

Annual Subscription Rates 1987 (including postage and insurance)

Annual institutional subscription rate (1987) DM 850.00. Two year institutional rate (1987/88) DM 1615.00. Personal subscription rate for those whose library subscribes at the regular rate (1987) DM 228.00. Prices are subject to change without notice.

Microform Subscriptions and Back Issues

Back issues of all previously published volumes are available in the regular editions and on microfilm and microfiche. Current subscriptions are available on microfiche simultaneously with the paper edition and on microfilm on completion of the annual index at the end of the subscription year.

It is a condition of publication that manuscripts submitted to this journal have not been published and will not be simultaneously submitted or published elsewhere. By submitting a manuscript, the authors agree that the copyright for their article is transferred to the publisher if and when the article is accepted for publication. However, assignment of copyright is not required from authors who work for organisations which do not permit such assignment. The copyright covers the exclusive rights to reproduce and distribute the article including reprints, photographic reproductions of similar nature, and translations. No part of this publication may be reproductions of similar nature, and translations. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, electrostatic, magnetic tape, mechanical, photocopying, recording or ortherwise, without permission in writing from the copyright holder.

SUBJECT INDEX 1986

Absorption

TCDD by plant species, 1387 incinerator flue gas, reduction of dioxins and furans by spray dryer, 1247

polychlorinated quarterphenyl congeners, pharmacokinetics in rats after an oral dose, 739

Accidents

electrical incident 1981-1986, emission of PCB, PCDDs and PCDFs in offices, 1273

electrical PCB accidents, an up-

date, 1291
Sevesco dioxin episode, time
evolution properties and
conversion factors between
different analytical methods,

Accumulation

chlorinated hydrocarbons in environment due to atmospheric transport and deposition, 115 chlordane and nochlors isomers, atmospheric concentrations, Canada, 449

Adsorption

Cd by <u>Stichococcus</u> <u>bacillaris</u>,69
PCBs in human samples, pattern
designation, 301
rats, fecal excretion of

rats, feeal excretion of 2,3,4,7,8-pentachlorodibenzofuran, stimulating effect of activated charcoal beads, 219

Algae

Stichococcus bacillaris removal of Cd, 77

Stichococcus bacillaris, adsorption of Cd, 69

Ames Test

strong mutagen 3-chloro-4-(dicloromethyl)-5-hydroxy-2(5H)furanone in chlorinated drinking water and humic waters, detn, 549

Analysis

butyltins, GC detn in natural waters by flame photometric detection of hexyl derivs with mass spectrometric confirmation, 461 CDD and CDF analysis capability, worldwide survey, 1941 CDD commercial, quality standards,

1947 chlorinated dioxins and dibenzofurans in Ontario, analysing and controlling the risks, 1835

chlorinated dioxins, large scale environmental survey, overview and soil data, 1453 chlorinated dioxins, waste water

analyses, large scale environmental survey, 1445 Cl from solid waste combustion, monitoring fate, 1339

dimeric chlorophenol ethers in biological samples, multicomponent analysis, 2103 dioxins in used transformer fluid, analysis after electrical

analysis after electrical discharge, 1105 dioxins, determination in fish and

sediment, 1085 dioxins/furans, ASME standard sampling and analysis methods,

environmental samples for PCDD/PCDF, PAH, PCB, chlorobenzenes and chlorophenols, analytical assay,

1091 fish exposed to petroleum, ¹³C NMR in analysis of conjugate metabolites in the bile, 787

hexachloronaphthalene, strongly bioaccumulating, characterisation. 619

isation, 619
nitro- and dinitropolycyclic
aromatic hydrocarbons,
quantitation in diesel exhaust
particulate water. 437

PCBs, structure activity, use of principal components analysis to predict inducers of mixedfunction oxidase activity, 275

PCDD and PCDF residue data from GC/MS analyses, evaluation by pattern recognition, 1435 PCDDs and PCDFs analysis in flyash

PCDDs and PCDFs analysis in flyash by high resolution mass spectrometry, 2115 PCDDs and PCDFs analysis of waste

from production of Napentachlorphenolate, 1991 PCDDs and PCDFs in biological samples, multicomponent analysis, 2109 PCDDs and PCDFs in PCB oil from waste site, analysis, 1113 PCDDs and PCDFs, analysis, HPLC and heart cutting techniques, use in clean-up procedure, 1123 PCDDs and PCDFs, determination in

human milk, 1977 PCDD/PCDF, demands for effective analysis in environment and

production control, 1099 pentachloronitrobenzene and hexachlorobenzene, degradation products,105

pyridines, structure-activity examined by principal components analysis, 59

strong mutagen 3-chloro-4-(dicloromethyl)-5-hydroxy-2(5H)furanone in chlorinated drinking water and humic waters, detn, 549

TCDD, human adipose tissue data in US samples, 2055

Animals see also Birds and Fish
1°C-deltamethrin treated bean
plants, bioavailability of bound

1°C residues in rats, 923 2,3,4,6-tetrachlorophenol and pentachlorophenol, Danish coastal water levels and total organohalogens in Mytilus

edulis, 895
2,3,4,7,8-PenCDF, interaction with cytochrome P-450 isozymes in hepatic microsomes of rats, 731 accumulation differences in marine organisms, quantitation of PCB patterns, 289

patterns, 209
administration of PCDDs and PCDFs
from flyash in mammals,
phamacokinetic aspects, 1477
amphibians, chemical causes for
decrease, tests with Xenopus

laevia, 807 bullfrogs, tissue distribution of 2,3,7,8-TCDD in contaminated

area, 121 CDFs in rats, induction of hydrocarbon hydroxylase, 1745 dioxin studies, status of centers

for disease control, US population, 1765 Hg, organic and inorganic, in food chain of lakes and reservoirs in

Finland, 353 Ni poisoned rats, removal of Ni from the organs by chelating drugs, 813

organochlorine compds, assessment of impact of emission on aquatic environment, 825

P.CDD, pharmacokinetics and metabolism in rat, 1473 PCbs, congeneric, effects on liver and kidney retinoid levels,

rats, 1905 PCDDs and PCDFs in human adipose tissue, analysis by EPA FY82

NHATS repository, 1605 PCDDs and PCDFs on fly ash, bio-availability after semi-chronic oral ingestion by guriea pig and Syrian golden hamster, 519 PCDDs and PCDFs, correlation

between in vitro nd in vivo structure-activity relationships, 1725 PCDDs and PCDFs, studies on

distribution and embryotoxicity in mice and marmosets, 2011 PCDD/PCDF, approaches to health

risk assessment, 1825 PCQS, detn by HPLC and application to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

pentachlorophenol, pure and technical grade, effects on cultures rat hepatocytes, 2125 Pharmacokinetics of TCDD in man,

polychlorinated quarterphenyl congeners, pharmacokinetics in rats after an oral dose, 739 rats, different regions of central

and peripheral nervous system, effect of Cd on distribution of Cu, Zn and Fe, 373

rats, fecal excretion of 2,3,4,7,8-pentachlorodibenzofuran, stimulating effect of activated charcoal beads, 219 rats, tissue distribution and

excretion of hexabromo- and hexachloro-benzene, 453 Sevesco dioxin episode, time evolution properties and conversion factors between

different analytical methods, 1549 TCDD Ah receptor, comparative studies in mammalian and nommammalian species, 1665

TCDD effect on distribution and excretion of emdogenous pool of vitamin A in rats with low liver vitamin A stores, 1715

TCDD in terrestrial organisms including humans, biocon-centration potential, 1495

TCDD induced temporal- and doserelated characteristics of biochemical and morphological alterations in hamster,

TCDD localisation in hairless mouse skin, 2065 TCDD metabolites, synthesis,

biologic and toxic properties, 2081 TCDD qualitative and quantitative

cancer risk assessment, 1815 TCDD, AHH-inducing activity, effects of cytosolic receptor modulation, rats, 1909

toxicity of particulate emmissions from municipal incinerators, concept of TCDD equivalents, 1733

Antibodies

monoclonal-,chlorinated dibenzo-pdioxins, 2007

Aquatic systems see also under Water 2,3,4,6-tetrachlorophenol and pentachlorophenol, Danish

coastal water levels and total organohalogens in Mytilus

edulis, 895 bacteria in waters of Niepolomice forest, effect of emission of industrial dust, 629

butyltins, GC detn in natural waters by flame photometric detection of hexyl derivs with mass spectrometric confirmation,

chlorinated dioxins, dissolved organic matter mediated aquatic transport, 1379

chloropropenes, assessment of impact of emission on aquatic environment, 861

epichlorohydrin, assessment of impact of emission on aquatic environment, 881 Hg, organic and inorganic, in food

chain of lakes and reservoirs in Finland, 353 lake Michigan, sorption of

polynuclear aromatic hydrocrabons onto dissolved organic matter, 403 natural waters, steady state

concentrations of phototransient hydrated electron, 717 organic and heavy metal pollutants in Mississippi river, 795 organochlorine compds, assess

of impact of emission on aquatic environment, 825 organophosphorus compds and

carbamate residues in aquatic system of Ioannina basin and Kalamas river, 1023 organotin compds in water and

sediment in Canada, 253
PCDDs and PCDFs in sewage sludge, river and lake sediments, Germany, 1421

PCDDs in aquatic systems, photochemical quantum yields and sunlight half-lives, 1935 propanil, microbial degradation in

aquatic systems, 917 TCDD and related compds, trends in

lake Ontario ecosystem, 1405 trifluralin, atrazine and fonofos residues, impact and distribution in microsms simulating northern Prairie wetland, 563

Volgermeerpolder refuse dump, provisional cleaning up, 1557 Volgermeerpolder refuse dump, remedial action strategies, 1567

Atmosphere

accumulation of chlorinated hydrocarbons in environment due to transport and deposition, 115 atmospheric carbonyl compds, speciation using improved HLPC

method, 667 bromo-and bromochloromethanes in air over Atlantic ocean, 429 chlordane and nochlors isomers, atmospheric concentrations,

Canada, 449

chlorinated C1-C, hydrocarbons in air over north and south Atlantic ocean, 413 PCDD and PCDF, fate and source,

1417 PCDD and PCDF, quantitative detn in ambient air, 607

poylnuclear aromatic compds in ambient air of Stockholm, 169 volatile organic compds, in air of southern Black forest, 985

Automobiles

nitro- and dinitropolycyclic aromatic hydrocarbons, quantitation in diesel exhaust particulate matter, 437 PCDDs and PCDFs in environment, automobile exhausts vs municipal waste incineration as sources.

Bioaccumulation

chlorobenzenes, PCDDs and PCDFs, selective in wildlife of Volgermeerpolder, 1995 differences in marine organisms,

quantitation of PCB patterns, 289

PCDDsand PCDFs, in fish after aqueous and dietary exposure, 1985

rats, different regions of central and peripheral nervous system, effect of Cd on distribution of Cu, Zn and Fe, 373

Bioactivity
PCDDs and PCDFs in freshwater fish, uptake and depuration, 2023

PCDD/PCDF congeners, uptake and elimination by fish after aqueous exposure to fylash from municipal incinerator, 2049 pentachlorophenol, effect on soils, iron-reduction test, 309

Bioassay see also Analysis CDDs and CDFs and toxic potentials in incineration products, relative toxicities assessed by E.L.S.-bioassay, 1165 PCDDs and PCDFs in biological

samples, multicomponent analysis, 2109

toxic polychlorinated azobenzenes, in vitro bioassays, 2105

Bioavailability

1°C-deltamethrin treated bean plants, bioavailability of bound 1°C residues in rats, 923 PCDDs and PCDFs on fly ash after semi-chronic oral ingestion by rats, 509

PCDDs and PCDFs on fly ash after semi-chronic oral ingestion by guriea pig and Syrian golden hamster, 519

TCDD in soil, assessment of health risks, 1867

Bioconcentration Cd uptake in two strains of Saccharomyces and one strain of Rhodotorula cells in presence and absence of glucose, 981

hydroxyethane diphosphonate, degradability, sludge adsorption, mobility in soils and bioconcentration factors affecting environment, 929

TCDD effect on distribution and excretion of emdogenous pool of vitamin A in rats with low liver vitamin A stores, 1715 TCDD in terrestrial organisms

including humans, bioconcentration potential, 1495

TCDD, toxicity and biocon-centration, fathead minnows, 1503

Biodegradation

2- and 3-nitrophenols, simulation of biotic transformation by abiotic means, 149

aerobic tests, behaviour of dyestuffs, 479

alachlor, bioconversion in anaerobic stream sediment, 153 assessments, need for applying stability tests, 471

bis(2-ethylhexyl)phthalate and dioctylphthalate simulation of biotic tranformation by abiotic

chloropropenes, assessment of impact of emission on aquatic environment, 861 environmental fate of linear

alkylbenzenesulphonates. assessment, 3

epichlorohydrin, assessment of impact of emission on aquatic environment, 881 hydroxyethane diphosphonate,

degradability, sludge adsorption, mobility in soils and bioconcentration factors affecting environment, 929

linear alkylbenzenes, selective aerobic degradation by pure microbial cultures, 595

organochlorine compds, assessment of impact of emission on aquatic environment, 825

PCDDs and PCDFs in freshwater fish, uptake and depuration, 2023 pentachloronitrobenzene and

hexachlorobenzene, in vivo and in vitro biotransformation, 97 polycyclic aromatic hydrocarbons, unsubstituted, uptake, depuration and biotransformation rates by Stylodrilus

heringianus, 317 propanil, microbial, in aquatic systems, 917

Biphenyls

accumulation differences in marine organisms, quantitation patterns, 289

atropisomers, characteristics,

background levels in British

soils, 499 congeneric-, effects on liver and kidney retinoid levels, rats,

electrical incident 1981-1986, emission of PCB, PCDDs and PCDFs in offices, 1273 electrical PCB accidents, an up-

date, 1291

environmental monitoring of PCB and trace metals in vicinity of chemical waste disposal, 947 exposure from overheated

transformer, 1305 fires, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313

in UK environment, 211 in human samples, pattern designation, 301

methylsulphone congeners, determination in Yusho and control patients, 2027 PCDDs and PCDFs in PCB oil from

waste site, analysis, 1113 photochemical degradation of chlorinated dioxins, biphenyls, phenols and benzene on semiconductor dispersion, 1913

conductor dispersion, 1913
Pygoscells adeliae, transfer rates
and pattern of PCB isomers and
congeners and p.p. 1-DDE from
mother to egg, 383
simulated building fire study
using retrofilled transformer

dielectric coolant, 1957

structure activity, use of principal components analysis to predict inducers of mixedfunction oxidase activity, 275

TCDD, hepatic cytosolic receptor levels, modulation by PCBs and organochlorine pollutants, 2085

transformer fires, exposure to PCB, PCDF and PCDD, 1297 transthyretin binding of PCBs, model for mechanism of interference with vitamin A and

thyroid hormone metabolism, 1699 waste disposal areas, environ-mental monitoring for PCB and trace metals, 81

waste incinerators, examination for dioxins, determination of PCBs and other chlorinated hydrocarbons, 2093

Pygoscelis adeliae, transfer rates and pattern of PCB isomers and congeners and p,p*-DDE from mother to egg, 343 mother to egg,

Carcinogenesis
PCDD/PCDF, approaches to health risk assessment, 1825 soft tissue sarcoma and phenoxy herbicides in New Zealand, 1795 TCDD human exposure, rationale for assessment of risk, 1805 TCDD qualitative and quantitative cancer risk assessment, 1815

Carotene

Daphnia magna and Aedes aegypti irradiated in presence of alpha-terthienyl, protections effect of beta-carotene, 781

Chemicals see also Biphenyls, Chlorine and Halogen compounds etc

estimation of toxicity on fish by physico-chemical properties, 195 n-octanol/water partition coeffs, ecotoxicological behaviour of chemicals via chromatographic and structural parameters, 1467 organic compds, relationship

between OH radical rate constants in gaseous phase and their chemical shifts in 'H- and 13C NMR, 971

organophosphorus compds and carbamate residues in aquatic system of Ioannina basin and

System of Townina Death and Kalamas river, 1023 PCDD/PCDF destruction by non-thermal methods, 1529 pentachloronitrobenzene and hexachlorobenzene, in vivo and in vitro biotransformation, 97

Photobacterium phosphoreum prediction of acute toxic concentrations of 68 aromatic compds, ecotoxicological QSAR study, 993

phthalate esters, chemodynamic properties, partitioning and soil migration, 1003 polynuclear aromatic compds in ambient air of Stockholm, 169

TCDD and related compds, soil contamination, organisms or chemicals for destruction, 1513 volatile organic compds, in air of southern Black forest, 985

Chlorine and Halogen compounds see also Biphenyls

2,3,4,6-tetrachlorophenol and pentachlorophenol, Danish coastal water levels and total organohalogens in Mytilus edulis, 895

accumulation of chlorinated hydrocarbons in environment due to atmospheric transport and deposition, 115

bromo-and bromochloromethanes in air over Atlantic ocean, 429 chlorinated C1-C, hydrocarbons in

air over north and south Atlantic ocean, 413 chlorinated hydrocarbons in lichen and moss samples from antarctic,

chlorinated wastes, observations and assessments relating to

incineration, 1577, chlorobenzenes, PCDDs and PCDFs, selective accumulation in wildlife of Volgermeerpolder, 1995

chlorocarbons in adipose tissue from Missouri population, 1595 chloropropenes, assessment of impact of emission on aquatic environment, 861

Cl from solid waste combustion, monitoring fate by analysis,

dielectric fluids, arochlor 1254 contaminated, pyrolysis and combustion, 1265 dimeric chlorophenol ethers in

biological samples, multi-component analysis, 2103 dioxin analysis in stack emissions, slags and wash water circuit during high temp incineration of Cl-containing

wastes, 1193 environmental samples for PCDD/PCDF, PAH, PCB, chlorobenzenes and chlorophenols, analytical assay, 1091

epichlorohydrin, assessment of impact of emission on aquatic environment, 881

halogenated methanes, in vitro biochemical decomposition by cytochrome 450-rich fraction of monooxygenase liver system, 1043 hepatic Ah receptor, specific binding of TCDD, effect of hexachlorobenzene, 1691

heptachlor enantiomers, new synthesis, 687 hexachloronaphthalene, strongly bioaccumulaing, characterisation, 619

hexachloroxanthene, mobility in Times beach, Missouri, 2069 monobromo-polychloro derivs of benzene, biphenyl, dibenzofuran and dibenzodioxin formed in

chemical-waste burning, 755 occurrence and fate of polychlorinated aromatic ethers

in environment, 1429 organochlorine compds, assessment of impact of emission on aquatic environment, 825

organohalogens, experiments in high-temp chemistry, 1369 ozone decomposition kinetic and oxidation of model polychlorinated orgânic compd in water, 183

PCBs fires, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313

PCQS, detn by HPLC and application to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

pentachloronitrobenzene and hexachlorobenzene, in vivo and in vitro biotransformation, 97 photochemical degradation of chlorinated dioxins, biphenyls, phenols and benzene on semi-conductor dispersion, 1913

polychlorinated quarterphenyl congeners, pharmacokinetics in rats after an oral dose, 739 rats, tissue distribution and

excretion of hexabromo- and hexachloro-benzene, 453 strong mutagen 3-chloro-4

(dicloromethyl)-5-hydroxy-2(5H)-furanone in chlorinated drinking water and humic waters, detn, 549

TCDD, hepatic cytosolic receptor levels, modulation by PCBs and organochlorine pollutants, 2085 tetrachlorinated planar molecules(8), N-octanol/water partition coeffs by reverse phase liquid chromatography/mass spectrometry, 163 total and combined Cl in water,

detn with pyridine-pyrazolone reagent, 707 toxic polychlorinated azobenzenes,

in vitro bioassays, 2105 Volgermeerpolder refuse dump, provional cleaning up, 1557

Combustion see also Incinerators,

Fires etc analysis of stack emission sampling and sample preparation. comparison of polyurethane foam plug technique and impinger

plug technique and impinger technique, 1917 Cl from solid waste, monitoring fate by analysis, 1339 dielectric fluids, arochlor 1254 contaminated, pyrolysis and combustion, 1265

dielectric fluids, products of thermal degradation, 1261 dioxin and furan emissions from fluidised-bed incinerator during combustion of paper recycling

residues, 2089 dioxin formation in municipal solid waste disposal, new

theory, 1987 dioxins from Scandanavian waste plants, 2041

dioxins sources into environment, use of isomer specific data to characterise and differentiate,

dioxins, furans and related compds, thermal properties, 1325 incinerator testing and evaluation, two-stage combustion tests, 1201

municipal incinerators, thermal behaviour of PCDD/PCDF in flyash, 1373

PCDD and PCDF in flyash, analysis, comparison of two methods of extraction, 645

PCDDs and PCDFs on fly ash after semi-chronic oral ingestion by rats, bio-availability, 509 PCDD/PCDF in fly ash, different

treatment techniques, 1135 polynuclear aromatic compds in ambient air of Stockholm, 169

Degradation

chlorinated dioxins and related compds, unimolecular reaction rate theories, 1333 dielectric fluids, products of

thermal degradation, 1261
photochemical-, of chlorinated
dioxins, biphenyls, phenols and benzene on semiconductor

dispersion, 1913 TCDD and related compds, soil contamination, organisms or chemicals for destruction, 1513 triadimenol, photolysis, 765

Dioxin 2,3,7,8-TCDD and related dioxins and furans in tissues of Chelydra serpentina, 537 absorption of TCDD by plant

species, 1387 administration of PCDDs and PCDFs from flyash in mammals, phamacokinetic aspects, 1477 analysis in stack emissions, slags and wash water circuit during high temp incineration of Cl-

containing wastes, 1193 analysis of PCDD and PCDF in flyash, comparison of two methods of extraction, 645 and dibenzofurans in human samples

from Europe, 1635 and furan emissions from fluidised-bed incinerator during combustion of paper recycling residues, 2089

and furans and related compds, thermal properties, 1325 and furans from an RDF fired and thrais Trom all how three spreader-staker system, effect of boiler operation and RDF feedstook, 1239 and furans, variation in human tissue, 1585

and waste disposal, UK experience,

1543 Belgian municipal incinerators, levels in emissions, 1255 CDD and CDF analysis capability,

worldwide survey, 1941 CDD commercial, quality standards, 1947

CDD determination, comparison of instrumental methods, results involving GC-MS, MS-MS and high resolution MS, 1147 CDDs and CDFs and toxic potentials

in incineration products, relative toxicities assessed by E.L.S.-bioassay, 1165

CDDs and CDfs, toxicity of mixtures, estimate of risks associated with exposures, 1895

chlorinated dibenzo-p-dioxins, monoclonal antibodies, 2007 chlorinated-, and dibenzofurans in leachate and sediments of sanitary landfill, Germany, 1981 chlorinated-, and dibenzofurans in

Ontario, analysing and controlling the risks, 1835 chlorinated-, and related compds, unimolecular reaction rate

theories, 1333 chlorinated-, dissolved organic matter mediated aquatic

transport, 1379
chlorinated-, exposed workers,
evaluation of mortality patterns, 1769 chlorinated-, large scale

environmental survey, overview and soil data, 1453 chlorinated-, waste water analyses, large scale

environmental survey, 1445 chlorobenzenes, PCDDs and PCDFs, selective accumulation in wildlife of Volgermeerpolder, 1995

contaminated sites, innovative remedial action technology, 1535 contamination in Missouri, 1571 determination in fish and

sediment, 1085 dibenzo-p-dioxin and dibenzofuran data, reporting in scientific publications, 1157 dielectric fluids, products of

thermal degradation, 1261 dioxins/furans, ASME standard sampling and analysis methods,

electrical incident 1981-1986, emission of PCB, PCDDs and PCDFs in offices, 1273

exposure assessment, use in rat rospective cohort mortality study in US, 1753 formation in muicipal solid waste disposal, new theory, 1987

from Scandanavian waste combustion

plants, 2041 hepatic Ah receptor, specific binding of TCDD, effect of hexachlorobenzene, 1691 herbicides and associated dioxins, health effects, litgerature review, 2099

hexachloroxanthene, mobility in Times beach, Missouri, 2069

in drinking water, trapping via reverse-phase adsorbent cartridge, 1127

in used transformer fluid, analysis after electrical

analysis arter electrical discharge, 1105 incinerator flue gas, reduction of dioxins and furans by spray dryer absorption, 1247 incinerators of different countries, comparison of PCDD

and PCDF in flyash, 1219 incinerators, PCDDs and PCDFs in emissions, 1213 emissions, 1213 metal chlorides, search for industrial sources of

PCDD/PCDFs, 653 municipal incinerators, thermal behaviour of PCDD/PCDF in

flyash, 1373

nitropolychlorinated dibenzo-p-dioxins and related compds. bacterial mutagenicity, 1961 organohalogens, experiments in high-temp chemistry, 1369 P₃CDD, pharmacokinetics and

metabolism in rat, 1473 PBrDD and PBrDF in flame retardant preparations, 2111

PCB fires, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313

PCBs fires, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of

soot, 1313
PCDD and PCDF residue data from GC/MS analyses, evaluation by pattern_recognition, 1435 PCDD and PCDF, fate and source, 1417

PCDD and PCDF, quantitative detn in ambient air, 607 PCDD, determination in pyrolysates from chlorinated phenolates,

2035 PCDDs and PCDFs accidental human exposure after transformer fire,

1953 PCDDs and PCDFs analysis in flyash by high resolution mass spectrometry, 2115 PCDDs and PCDFs analysis of waste

from production of Napentachlorphenolate, 1991 PCDDs and PCDFs as part of pollution in environmental samples in urban areas, 1923 PCDDs and PCDFs from municipal waste flyash, leaching out by

water and organic solvents, 1927 PCDDs and PCDFs in biological samples, multicomponent

analysis, 2109 PCDDs and PCDFs in complex environmental samples, comparison of quantitation by high resolution GC with flame ionisation, electron capture and

mass spectrometry, 1141 PCDDs and PCDFs in freshwater fish, uptake and depuration, 2023

PCDDs and PCDFs in human adipose tissue in Japan, 1629 PCDDs and PCDFs in human adipose tissue, analysis by EPA FY82 NHATS repository, 1605 PCDDs and PCDFs in human breast

milk from Netherlands, 693 PCDDs and PCDFs in human milk,

reasons for concern, 1641 PCDDs and PCDFs in PCB oil from waste site, analysis, 1113 PCDDs and PCDFs in sewage sludge,

river and lake sediments, Germany, 1421 PCDDs and PCDFs in stack gas, comparison of sampling methods.

PCDDs and PCDFs investigation of different environmental samples,

PCDDs and PCDFs on fly ash after semi-chronic oral ingestion by rats, bio-availability, 509 PCDDs and PCDFs on fly ash, bio-availability after semi-chronic

oral ingestion by guriea pig and Syrian golden hamster, 519 PCDDs and PCDFs, analysis, HPLC

and heart cutting techniques use in clean-up procedure, 1123 PCDDs and PCDFs, correlation between in vitro nd in vivo structure- activity relationships, 1725
PCDDs and PCDfs, determination in

human milk, 1977 PCDDs and PCDFs, formation from chlorophenols and chlorophenates at various temps, identification of trichlorobenzodioxins, 2129

PCDDs and PCDFs, studies on distribution and embryotoxicity in mice and marmosets, 2011 PCDDs in aquatic systems, photochemical quantum yields and sunlight half-lives, 1935 PCDDs in soil samples, clean-up

procedure for determination,

PCDDs and PCDFs, bioaccumalation in fish after aqueous and dietary exposure, 1985 PCDDs/PCDFs, review of stack sampling methods, 1173

PCDD/PCDF congeners, uptake and elimination by fish after aqueous exposure to fylash from

municipal incinerator, 2049 PCDD/PCDF destruction by non-thermal methods, 1529 PCDD/PCDF from waste incinerators,

causes for and reduction of emissions, interpretion of recent measurements, 1225 PCDD/PCDF in fly ash, different

treatment techniques, 1135 PCDD/PCDF search for industrial sources, Germany, 2001 PCDD/PCDF, approaches to health

risk assessment, 1825 PCDD/PCDF, demands for effective analysis in environment and production control, 1099 Pharmacokinetics of TCDD in man,

photochemical degradation of chlorinated dioxins, biphenyls, phenols and benzene on semi-

conductor dispersion, 1913 polybrominated dibenzodioxins and -furans from pyrolysis of flame redardants, 649

polychlorinated phenoxyphenols, phenoxy anisoles, PCDD, PCDF and diphenyl ethers, synthesis, 2003 polychlorinated, vapour pressure determination by gas saturation

methods, 2073 rat liver receptor for TCDD. characterisation, comparison with rat liver glucocorticoid receptor, 1681 risk assessment, uncertainties,

Sevesco area, assessment of exposure to TCDD, 1851 Sevesco episode, time evolution properties and conversion factors between different

analytical methods, 1540 Sevesco episode, validity of epimemiological inquiries in relation with definition of population at risk, 1777 simulated building fire study using retrofilled transformer

dielectric coolant, 1957 sources into environment, use of isomer specific data to characterise and differentiate,

studies, status of centers for disease control, US population, 1765Swedish waste incinerators, PCDds and PCDFs in emissions. 2045

TCDD action in human hepatoblastoma HEPG₂ tissue culture cell line, functional and microscopical observations. 1965

TCDD Ah receptor, comparative studies in mammalian and normammalian species, 1665 TCDD and dibenzofuran levels in

human adipose tissue and milk samples from Vietman, 1613 TCDD and related compds, soil

contamination, organisms or chemicals for destruction, 1513 TCDD and related compds, trends in lake Ontario ecosystem, 1405 TCDD and TCDF, emission from urban incinerator, 557

TCDD contaminated soil from, Times beach, Missouri and Newark, comparative toxicity, 2121

TCDD effect on distribution and excretion of emdogenous pool of vitamin A in rats with low liver vitamin A stores, 1715 TCDD human exposure, rationale for assessment of risk, 1805

TCDD immunosuppressive activity, effect of inducers of P-450 cytochrome isoenzymes, 1707 TCDD in soil, assessment of health

risks, 1867 TCDD in terrestrial organisms including humans, biocon

centration potential, 1495 TCDD induced temporal- and doserelated characteristics of biochemical and morphological alterations in hamster, 1749

TCDD levels in adipose tissue in Vietmen veterans seeking medical assistance, 1787 TCDD localisation in hairless

mouse skin, 2065 TCDD metabolites, synthesis, biologic and toxic properties, 2081

TCDD mobility in soil, vapour phase transport and role of dispersing medium, 1389

TCDD qualitative and quantitative cancer risk assessment, 1815 TCDD receptor binding, a new structure-affinity relationship,

TCDD receptor properties, a QSAR approach, 1657

TCDD receptor, structure, possible functions and relationship to endocrine receptors, 1649 TCDD, AHH-inducing activity,

effects of cytosolic receptor modulation, rats, 1909 TCDD, fast selective detection using mobile mass spectrometer

MM1, 2031 TCDD, hepatic cytosolic receptor levels, modulation by PCBs and organochlorine pollutants, 2085 TCDD, human adipose tissue data in

US samples, 2055 TCDD, limitation of health risk estimates, 1883

TCDD, relationship between toxicity and induction of aryl hydrocarbon hydroxylase and ornithine decarboxylase, 19%71

TCDD, toxicity and bioconcentration, fathead minnows, 1503 TCDD, water solubility

determination, 1397 TCDDs(22) by electron impact ionisation mass spectrometry, synthesis and relative response

factors, 1601 toxicity of particulate emmisions from municipal incinerators, concept of TCDD equivalents,

1733 transformer fire, exposure to PCB, PCDD and PCDF, 1297 U.S.national study, 1401 Volgermeerpolder refuse dump, provional cleaning up. 1557

chlorinated dioxins, exposed workers, evaluation of mortality patterns, 1769

dioxin studies, status of centers for disease control, US population, 1765 PCB-methylsulphone congeners,

determination in Yusho and control patients, 2027 PCQS, detn by HPLC and application

to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599 soft tissue sarcoma and phenoxy

herbicides in New Zealand, TCDD human exposure, rationale for assessment of risk, 1805

TCDD levels in adipose tissue in Vietmen veterans seeking medical assistance, 1787 TCDD, human adipose tissue data in US samples, 2055

Ni poisoned rats, removal of Ni from the organs by chelating drugs, 813

aerobic biodegradation tests, behaviour of dyestuffs, 479

Effluents

incinerator testing and evaluation, two-stage combustion tests, 1201

Environment

accumulation of chlorinated hydrocarbons in environment due to atmospheric transport and deposition, 115

chlorinated dioxins, large scale environmental survey, overview and soil data, 1453 chlorinated dioxins, waste water analyses, large scale

environmental survey, 1445 chloropropenes, assessment of impact of emission on aquatic environment, 861 dioxins sources into environment,

use of isomer specific data to characterise and differentiate,

epichlorohydrin, assessment of impact of emission on aquatic

environment, 881 fate of linear alkylbenzene-sulphonates, assessment, 3 hydroxyethane diphosphonate,

degradability, sludge adsorption, mobility in soils and bioconcentration factors affecting environment, 929 monitoring for PDB and trace metals in vicinity of chemical

waste disposal, 947 multimedia transport of particle-bound organics, benzo[a]pyrene test case, 31

occurrence and fate of polychlor-

inated aromatic ethers, 1429 organochlorine compds, assessment of impact of emission on aquatic environment, 825 PCDDs and PCDFs as part of

pollution in urban areas, 1923 PCDDs and PCDFs in complex samples, comparison of quantitation by high resolution GC with flame ionisation, electron capture and mass

spectrometry, 1141 PCDDs and PCDFs investigation of different samples, 2077 PCDD/PCDF, demands for effective analysis and production control,

samples for PCDD/PCDF, PAH, PCB, chlorobenzenes and chlorophenols, analytical assay, 1091

Sevesco episode, validity of epimemiological inquiries in relation with definition of population at risk, 1777 U.S.national dioxin study, 1401 waste disposal areas, monitoring for PCB and trace metals, 81

1099

2,3,4,7,8-PenCDF, interaction with cytochrome P-450 isozymes in hepatic microsomes of rats, 731

CDFs in rats, induction of hydrocarbon hydroxylase, 1745 halogenated methanes, in vitro biochemical decomposition by cytochrome 450-rich fraction of monooxygenase liver system, 1043 TCDD action in human hepato-blastoma HEPG₂ tissue culture

cell line, functional and microscopical observations, 1965 TCDD immunosuppressive activity. effect of inducers of P-450

cytochrome isoenzymes, 1707 TCDD induced temporal- and doserelated characteristics of biochemical and morphological alterations in hamster, 1749

TCDD, relationship between toxicity and induction of aryl hydrocarbon hydroxylase and orni thine decarboxylase, 19%71

Epidemiology Sevesco episode, validity of epimemiological inquiries in relation with definition of population at risk, 1777 soft tissue sarcoma and phenoxy herbicides in New Zealand, 1795

dimeric chlorophenol ethers in biological samples, multi-component analysis, 2103 occurrence and fate of polychlorinated aromatic ethers in environment, 1429 polychlorinated phenoxyphenols, phenoxy anisoles, PCDD, PCDF and diphenyl ethers, synthesis, 2003

Fires see also combustion and Incineration etc

PCBs-, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313 PCDDs and PCDFs accidental human exposure after transformer fire. 1953

simulated building-, study using retrofilled transformer dielectric coolant, 1957 transformer-, in market plaza, California, 1281 transformer-, exposure to PCB, PCDF and PCDD, 1297

dioxins, determination in fish and sediment, 1085 estimation of toxicity of

chemicals by physico-chemical properties, 195

exposure to petroleum, 1°C NMR in analysis of conjugate metabolites in the bile, 787 occurrence and fate of polychlor-inated aromatic ethers in environment, 1429

PCDDs and PCDFs in freshwater fish, uptake and depuration. 2023

PCDDsand PCDFs, bioaccumalation after aqueous and dietary exposure, 1985

PCDD/PCDF congeners, uptake and elimination after aqueous exposure to fylash from municipal incinerator, 2049

polycyclic aromatic hydrocarbons, unsubstituted, uptake, depuration and biotransformation rates by <u>Stylodrilus</u> heringianus, 317 CDD, toxicity and bioconcen-

tration, fathead minnows, 1503

Flame retardants

PBrDD and PBrDF in flame retardant preparations, 2111 polybrominated dibenzodioxins and -furans from pyrolysis of flame redardants, 649

Hg, organic and inorganic, in food chain of lakes and reservoirs in Finland, 353

PCDDsand PCDFs, bioaccumalation in fish after aqueous and dietary exposure, 1985

PCDFs and related compds in humans from Yusho and Yu-Cheng incidents, 1621 Sevesco area, assessment exposure to TCDD, 1851

Fungicides

pentachloronitrobenzene and hexachlorobenzene, in vivo and in vitro biotransformation, 97 triadimenol, photolysis, 765

2,3,4,7,8-PenCDF, interaction with cytochrome P-450 isozymes in hepatic microsomes of rats, 731 2,3,7,8-TCDD and related dioxins

and furans in tissues of Chelydra serpentina, 537 administration of PCDDs and PCDFs from flyash in mammals,

phamacokinetic aspects, 1477 CDD and CDF analysis capability,

worldwide survey, 1941
CDD and CDF data, reporting in scientific publications, 1157
CDDs and CDFs and toxic potentials in incineration products, relative toxicities assessed by E.L.S.-bioassay, 1165 CDFs in rats, induction of

hydrocarbon hydroxylase, 1745 chlorinated dioxins and dibenzofurans in leachate and sediments of sanitary landfill,

Germany, 1981 chlorinated dioxins and dibenzofurans in Ontario, analysing and controlling the risks, 1835

chlorobenzenes, PCDDs and PCDFs, selective accumulation in wildlife of Volgermeerpolder,

dielectric fluids, products of thermal degradation, 1261 dioxin and furan emissions from

fluidised-bed incinerator during combustion of paper recycling residues, 2089 dioxins and dibenzofurans in human

samples from Europe, 1635 dioxins and furans from an RDF fired spreader-staker system. effect of boiler operation and

RDF feedstock, 1239 dioxins and furans, variation in human tissue, 1585 dioxins, furans and related

compds, thermal properties, 1325 dioxins/furans, ASME standard sampling and analysis methods

electrical incident 1981-1986, emission of PCB, PCDDs and PCDFs in offices, 1273 electrical PCB accidents, an up-date, 1291

exposure to mixtures of chlorinated CDDs and CDFs, estimate of risk, 1895

human exposure, phenotypical dissection of T4+ and T8+ lymphocytes using Leu 8 reagent to reveal increase of T8+ Leu 8+ subset, 1799

incinerator flue gas, reduction of dioxins and furans by spray dryer absorption, 1247

incinerators of different countries, comparison of PCDD and PCDF in flyash, 1219 incinerators of different

countries, comparison of PCDD and PCDF in flyash, 1219 incinerators, PCDDs and PCDFs in

emissions, 1213 metal chlorides, search for industrial sources of

PCDD/PCDFs, 653 municipal incinerators, thermal behaviour of PCDD/PCDF in flyash, 1373 organohalogens, experiments in

high-temp chemistry, 1369 PBrDD and PBrDF in flame retardant preparations, 2111

PCB fires, correlation of chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313 PCBs fires, correlation of

chlorobenzene isomer and PCB homolog contents of PCB fluids with PCDD and PCDF contents of soot, 1313

PCDD and PCDF in flyash, analysis, comparison of two methods of extraction, 645 PCDD and PCDF residue data from GC/MS analyses, evaluation by

pattern recognition, 1435 PCDD and PCDF, fate and source, 1417

PCDD and PCDF, quantitative detn in ambient air, 607 PCDDs and PCDFs accidental human exposure after transformer fire,

PCDDs and PCDFs analysis in flyash by high resolution mass

spectrometry, 2115 PCDDs and PCDFs analysis of waste from production of Napentachlorphenolate, 1991

PCDDs and PCDFs as part of pollution in environmental samples in urban areas, 1923 PCDDs and PCDFs from municipal

waste flyash, leaching out by water and organic solvents, 1 PCDDs and PCDFs in biological

samples, multicomponent analysis, 2109 PCDDs and PCDFs in complex

environmental samples, comparison of quantitation by

high resolution GC with flame ionisation, electron capture and mass spectrometry, 1141 PCDDs and PCDFs in freshwater fish, uptake and depuration,

2023

PCDDs and PCDFs in human adipose tissue in Japan, 1629 PCDDs and PCDFs in human adipose tissue, analysis by EPA FY82

NHATS repository, 1605
PCDDs and PCDFs in human breast
milk from Netherlands, 693
PCDDs and PCDFs in human milk,

reasons for concern, 1641 PCDDs and PCDFs in PCB oil from waste site, analysis, 1113 PCDDs and PCDFs in sewage sludge,

river and lake sediments. Germany, 1421 PCDDs and PCDFs in stack gas, comparison of sampling methods,

1187 PCDDs and PCDFs investigation of different environmental samples.

PCDDs and PCDFs on fly ash after semi-chronic oral ingestion by rats, bio-availability, 509

PCDDs and PCDFs on fly ash, bioavailability after semi-chronic oral ingestion by guriea pig and Syrian golden hamster, 519 PCDDs and PCDFs, analysis, HPLC and heart cutting techniques,

use in clean-up procedure, 1123 PCDDs and PCDFs, correlation

between in vitro and in vivo structure- activity relationships, 1725 PCDDs and PCDFs, determination in human milk, 1977 PCDDs and PCDFs, formation from

chlorophenols and chlorophenates at various temps, identification of trichlorobenzodioxins, 2129 PCDDs and PCDFs, studies on

distribution and embryotoxicity in mice and marmosets, 2011 PCDDsand PCDFs, bioaccumalation in fish after aqueous and dietary exposure, 1985

PCDDs/PCDFs, review of stack sampling methods, 1173 PCDD/PCDF congeners, uptake and

elimination by fish after aqueous exposure to fylash from municipal incinerator, 2049 PCDD/PCDF destruction by non-

thermal methods, 1529 PCDD/PCDF from waste incinerators, causes for and reduction of emissions, interpretion of recent measurements, 1225

PCDD/PCDF in fly ash, different treatment techniques, 1135 PCDD/PCDF search for industrial

sources, Germany, 2001 PCDD/PCDF, demands for effective analysis in environment and production control, 1099 PCDFs and related compds in humans from Yusho and Yu-Cheng incidents, 1621

PCDFs, synthesis, capilliary gas chromatography and gas chromatographic/mass spectrometry characteristics, 1931

polybrominated dibenzodioxins and -furans from pyrolysis of flame redardants, 649

polychlorinated phenoxyphenols, phenoxy anisoles, PCDD, PCDF and diphenyl ethers, synthesis, 2003 rats, fecal excretion of 2,3,4,7,8-pentachlorodibenzo

furan, stimulating effect of activated charcoal beads, 219 simulated building fire study using retrofilled transformer dielectric coolant, 1957

Swedish waste incinerators, PCDds and PCDFs in emissions, 2045

TCDD and dibenzofuran levels in human adipose tissue and milk samples from Vietman, 1613 TCDD and TCDF, emission from urban incinerator, 557

transformer fire in market plaza, California, 1281 transformer fire, exposure to PCB,

PCDD and PCDF, 1297 U.S.national dioxin study, 1401 Volgermeerpolder refuse dump provional cleaning up, 1557

Furnaces see also Incinerators analysis of stack emission sampling and sample preparation, comparison of polyurethane foam

plug technique and impinger technique, 1917 dioxins and furans from an RDF fired spreader-staker system,

effect of boiler operation and RDF feedstock, 1239 PCDDs and PCDFs in stack gas, comparison of sampling methods, 1187

polynuclear aromatic compds in ambient air of Stockholm, 169

Health hazards chlorinated dioxins and dibenzofurans in Ontario, analysing and controlling the risks, 1835

chlorinated dioxins, exposed workers, evaluation of mortality patterns, 1769

dioxin exposure assessment, use in rat rospective cohort mortality study in US, 1753 dioxin risk assessment.

uncertainties, 1875 dioxin studies, status of centers for disease control, US population, 1765

epichlorohydrin, assessment of impact of emission on aquatic environment, 881 herbicides and associated dioxins,

health effects, litgerature review, 2099 industrial chemicals, health and environmental relevance.

priority setting, 771 organochlorine compds, assessment of impact of emission on aquatic environment, 825

PCDDs and PCDFs accidental hum exposure after transformer fire. 1953

PCDDs and PCDFs in human milk, reasons for concern, 1641 PCDD/PCDF, approaches to health risk assessment, 1825 PCDFs and related compds in humans

from Yusho and Yu-Cheng incidents, 1621 Pharmacokinetics of TCDD in man,

Sevesco area, assessment of exposure to TCDD, 1851 Sevesco episode, validity of epimemiological inquiries in relation with definition of

1489

population at risk, 1777 TCDD human exposure, rationale for assessment of risk, 1805 TCDD immunosuppressive activity, effect of inducers of P-450 cytochrome isoenzymes, 1707

TCDD in soil, assessment of health risks, 1867

TCDD in terrestrial organisms including humans, biocon-centration potential, 1495 TCDD levels in adipose tissue in Vietmen veterans seeking medical

assistance, 1787 TCDD qualitative and quantitative

cancer risk assessment, 1815 TCDD, limitation of health risk estimates, 1883 toxicity of particulate emmisions

from municipal incinerators, concept of TCDD equivalents, 1733

transthyretin binding of PCBs, model for mechanism of interference with vitamin A and thyroid hormone metabolism, 1699

Herbleidea

and associated dioxins, health effects, litgerature review, 2099 MCPA, degradation by UV

irradiation, 395 models for assessing volatilisation applied to

flooded rice fields, 127 PCDDs and PCDfs, determination in human milk, 1977

propanil, microbial degradation in aquatic systems, 917 soft tissue sarcoma and phenoxy herbicides in New Zealand, 1795

transthyretin binding of PCBs, model for mechanism of interference with vitamin A and thyroid hormone metabolism, 1699

chlorinated dioxins, dissolved organic matter mediated aquatic transport, 1379

Hydrocarbons see also Biphenyls and Chlorine and Halogen compounds accumulation of chlorinated

hydrocarbons in environment due to atmospheric transport and deposition, 115

aromatic hydrocarbons, polycyclic, formation by ionising radiations, 589 aromatic polycyclic hydrocarbons adsorbed on filters and ambient

POM, reactivity with ozone, 675 bromo-and bromochloromethanes in air over Atlantic ocean, 429

chlorinated C_{1-C}, hydrocarbons in air over north and south Atlantic ocean, 413

chlorinated in lichen and moss samples from antarctic, 747 lake Michigan, sorption of polynuclear aromatic

hydrocrabons onto dissolved organic matter, 403 linear alkylbenzenes, selective aerobic degradation by pure microbial cultures, 595

nitro- and dinitropolycyclic aromatic hydrocarbons, quantitation in diesel exhaust

particulate water, 437 petrogenic contamination in recent sediments, identfication by HPLC monitoring of aromatic components, 229

petroleum hydrocarbon evolution in superficial marine sediments, detn by continuous flow through

systems, 205 polycyclic aromatic hydrocarbons, unsubstituted, uptake, depuration and biotransformation rates by Stylodrilus

heringianus, 317 aste incinerators, examination for dioxins, determination of PCBs and other chlorinated hydrocarbons, 2093

Incinerators see also Furnaces administration of PCDDs and PCDFs from flyash in mammals, phamacokinetic aspects, 1477

CDDs and CDFs and toxic potentials in incineration products, relative toxicities assessed by E.L.S.-bioassay, 1165 chlorinated wastes, observations and assessments relating to

incineration, 1577
dioxin analysis in stack
emissions, slags and wash water
circuit during high temp incineration of C1-containing

wastes, 1193 dioxin and furan emissions from fluidised-bed incinerator during combustion of paper recycling residues, 2089

dioxins from Scandanavian waste combustion plants, 2041 flue gas, reduction of dioxins and

furans by spray dryer absorption, 1247 monobromo-polychloro derivs of benzene, biphenyl, dibenzofuran and dibenzodioxin formed in chemical-waste burning, 755

municipal-, of different municipal-, of different countries, comparison of PCDD and PCDF in flyash, 1219 municipal-, thermal behaviour of PCDD/PCDF in flyash, 1373 of different countries, comparison

of PCDD and PCDF in flyash, 1219 organohalogens, experiments in high-temp chemistry, 1369

and PCDF, fate and source, 1417

PCDDs and PCDFs from municipal waste flyash, leaching out by water and organic solvents, 1927 PCDDs and PCDFs in emissions, 1213 PCDD/PCDF congeners, uptake and elimination by fish after aqueous exposure to fylash, 2049 PCDD/PCDF from waste, causes for

and reduction of emissions, interpretion of recent

measurements, 1225 Swedish waste-, PCDds and PCDFs in emissions, 2045 testing and evaluation, two-stage

combustion tests, 1201 toxicity of particulate emmisions, concept of TCDD equivalents,

waste-, examination for dioxins, determination of PCBs and other chlorinated hydrocarbons, 2093

Industry

bacteria in waters of Niepolomice forest. effect of emission of industrial dust, 629

dioxins sources into environment, use of isomer specific data to characterise and differentiate, 1461

chemicals, health and environmental relevance, priority setting, 771 metal chlorides, search for

sources of PCDD/PCDFs, 653 PCDD/PCDF search for sources, Germany, 2001 PCDD/PCDF, demands for effective

analysis in environment and production control, 1099 waste waters from olive oil extraction plants, effect on soil bacteria population, 659

Insects

Daphnia magna and Aedes aegypt: irradiated in presence of al terthienyl, protectiong effect of beta-carotene, 781 Insecticides

metabolism of metasystox R in cell suspension cultures of sugarbeet. 961

synthetic pyrethroids, synergism with piperonyl butoxide against Lymnaea acuminata, 493

Leaching

chlorinated dioxins and dibenzofurans in leachate and sediments of sanitary landfill, Germany, 1981 PCDDs and PCDFs from municipal

waste flyash, leaching out by water and organic solvents, 1927

Metabolites

metasystox R in cell suspension cultures of sugar-beet, 961 PCDFs and related compds in humans from Yusho and Yu-Cheng incidents, 1621

TCDD-, synthesis, biologic and toxic properties, 2081 transthyretin binding of PCBs, movel for mechanism of interference with vitamin A and thyroid hormone metabolism, 1699

Metals ans non-metals

bacteria, <u>in vivo</u> adsorption of metals, <u>629</u>

waters by flame photometric detection of hexyl derivs with mass spectrometric confirmation.

Cd adsorption by Stichococcus bacillaris, 69

Cd removal by Stichococcus bacillaris 77 Cd uptake in two strains of Saccharomyces and one strain of Rhodotorula cells in presence and absence of glucose, 981 environmental monitoring for PDB

and trace metals in vicinity of chemical waste disposal, 947 Hg in vegetation of mount Amiata area, 1035

metal chlorides, search for industrial sources of PCDD/PCDFs, 653

Ni poisoned rats, removal of Ni from the organs by chelating drugs, 813

organic and heavy metal pollutants in Mississippi river, 795 organotin compds in water and

sediment in Canada, 253 pentachlorophenol, effect on bioactivity of soils, ironreduction test, 309

rats, different regions of central and peripheral nervous system, effect of Cd on distribution of Cu, Zn and Fe, 373

waste disposal areas, environ mental monitoring for PCB and trace metals, 81

Micoorganisms

bacteria in waters of Niepolomice forest, effect of emission of industrial dust, 629

Cd uptake in two strains of Saccharomyces and one strain of Rhodotorula cells in presence and absence of glucose, 981

linear alkylbenzenes, selective aerobic degradation by pure microbial cultures, 595 nitropolychlorinated dibenzo-pdioxins and related compds

bacterial mutagenicity, 1961 partition coeffs of thioureas and their toxicity to Photobacterium phosphoreum, detn and prediction, 383 PCDD/PCDF destruction by non-

thermal methods, 1529 Photobacterium phosphoreum prediction of acute toxic concentrations of 68 aromatic

compds, ecotoxicological QSAR study, 993 propanil, microbial degradation in

aquatic systems, 917 TCDD and related compds, soil contamination, organisms or chemicals for destruction, 1513 waste waters from olive oil

extraction plants, effect on soil bacteria population, 659

assessing volatilisation of herbicides applied to flooded rice fields, 127 environmental fate of linear

alkylbenzenesulphonates, assessment, 3

multimedia transport of particle-bound organics, benzo[a]pyrene test case, 31

transthyretin binding of PCBs, model for mechanism of interference with vitamin A and thyroid hormone metabolism, 1699

3-chloro-4-(dicloromethyl)-5hydroxy-2(5H)-furanone in chlorinated drinking water and humic waters, detn, 549

nitropolychlorinated dibenzo-pdioxins and related compds bacterial mutagenicity, 1961 PCDD/PCDF, approaches to health risk assessment, 1825

Ozone

aromatic polycyclic hydrocarbons adsorbed on filters and ambient POM, reactivity with ozone, 675

Partition coefficients

n-octanol/water partition coeffs, ecotoxicological behaviour of chemicals via chromatographic and structural parameters, 1467

*C-deltamethrin treated bean plants, bioavailability of bound °C residues in rats, 923

carbendazim and benlate comparative photo-studies in aqueous HCl, 1063 chlordane and nochlors isomers. atmospheric concentrations, Canada, 449

environmental samples for PCDD/PCDF, PAH, PCB, chlorobenzenes and chlorophenols, analytical assay, 1091

organophosphorus compds and carbamate residues in aquatic system of Ioannina basin and Kalamas river, 1023

trifluralin, atrazine and fonofos residues, impact and distribution in micross simulating northern Prairie wetland, 563

fish exposure, ¹³C NMR in analysis of conjugate metabolites in the

hydrocarbon evolution in superficial marine sediments, detn by continuous flow through

systems, 205

petrogenic contamination in recent sediments, identification by HPLC monitoring of aromatic components, 229

Phamacology

polychlorinated quarterphenyl congeners, pharmacokinetics in rats after an oral dose, 739

Phenols

2,3,4,6-tetrachlorophenol and pentachlorophenol, Danish coastal water levels and total organohalogens in Mytilus edulis, 895 and 3-nitrophenols, simulation

of biotic transformation by abiotic means, 149

PCDD, determination in pyrolysates from chlorinated phenolates, 2035

PCDDs and PCDFs analysis of waste from production of Napentachlorphenolate, 1991

PCDDs and PCDFs, formation from chlorophenols and chlorophenates at various temps, identification of trichlorobenzodioxins, 2129

pentachlorophenol, effect on bioactivity of soils, ironreduction test, 309

pentachlorophenol, pure and technical grade, effects on cultures rat hepatocytes, 2125 photochemical degradation of chlorinated dioxins, biphenyls,

phenols and benzene on semiconductor dispersion, 1913 polychlorinated phenoxyphenols, phenoxy anisoles, PCDD, PCDF and

diphenyl ethers, synthesis, 2003 riboflavin-photosensitised degradation of veratrylglycerolβ-aryl ethers, model compds for lignin and chlorophenol and nitrophenol derived lignin-bound

residues, 725 Phosphorus compounds

hydroxyethane diphosphonate, degradability, sludge adsorption, mobility in soils and bioconcentration factors

affecting environment, 929 metabolism of metasystox R in cell suspension cultures of sugarbeet, 961

organophosphorus compds and carbamate residues in aquatic system of Ioannina basin and Kalamas river, 1023

Photochemistry benzo[a]pyrene and pyrene, toxicity in Aedes aegypti in the dark and in UV light, 243 carbendazim and benlate comparative photo-studies in

aqueous HCl, 1063

Daphnia magna and Aedes aegypti
irradiated in presence of alphaterthienyl, protectiong effect of beta-carotene, 781

degradation of chlorinated dioxins, biphenyls, phenols and benzene on semiconductor dispersion, 1913

MCPA, degradation by UV irradiation, 395

natural waters, steady state concentrations of phototransient hydrated electron, 717 PCDDs in aquatic systems, quantum

yields and sunlight half-lives,

riboflavin-photosensitised degradation of veratrylglycerol-6-arylethers, model compds for lignin and chlorophenol and

nitrophenol derived lignin-bound

residues, 725
Tagetes component alphaterthienyl, a light dependent fish poison, 49 triadimenol, photolysis, 765

Plants
15C-15N-labelled urea-formaldehyde polymers in soil and barley plants, fate under outdoor conditions, 1073 *C-deltamethrin treated bean

plants, bioavailability of bound

1°C residues in rats, 923 absorption of TCDD, 1387 herbicides, models for assessing volatilisation applied to flooded rice fields, 127

Hg in vegetation of mount Amiata area, 1035 hydrocarbons, chlorinated in

lichen and moss samples from antarctic, 747 metabolism of metasystox R in cell suspension cultures of sugar

beet, 961 PCQS, detn by HPLC and application to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

Tagetes component alpha-terthienyl, a light dependent fish poisons,

aromatic hydrocarbons, polycyclic, formation by ionising radiations, 589

Pollutants

bis(2-ethylhexyl)phthalate and dioctylphthalate simulation of biotic tranformation by abiotic

means, 137 lake Michigan, sorption of polynuclear aromatic hydrocarbons onto dissolved organic matter, 403 multimedia transport of particlebound organics, benzo[a]pyrene

test case, 31 organic and heavy metals in Mississippi river, 795 phthalate esters, chemodynamic properties, partitioning and

soil migration, 1003 TCDD, hepatic cytosolic receptor levels, modulation by PCBs and organochlorines, 2085

volatile organic compds, in air of southern Black forest, 985 waste disposal areas, environ-mental monitoring for PCB and

trace metals, 81 waste water treatment and lack of biodegradability of pollutants,

Pollution

dioxin contamination in Missouri,

PCDDs and PCDFs as part of pollution in environmental samples in urban areas, 1923

aromatic polycyclic hydrocarbons adsorbed on filters and ambient POM, reactivity with ozone, 675 1°C-15N-labelled urea-formaldehyde polymers in soil and barley plants, fate under outdoor conditions, 1073

Pyrethroids

synthetic-, synergism with piperonyl butoxide against Lymnaea acuminata, 493

Pyridines

structure-activity examined by principal components analysis,

Pyrolysis

PCDD, determination in pyrolysates from chlorinated phenolates, 2035

polybrominated dibenzodioxins and -furans from flame redardants,

Receptors

hepatic Ah-, specific binding of TCDD, effect of hexachlorobenzene, 1691

PCDDs and PCDFs, correlation between in vitro nd in vivo structure- activity relationships, 1725

rat liver- for TCDD, characterisation, comparison with rat liver glucocorticoid

receptor, 1681 TCDD Ah-, comparative studies in mammalian and nonmammalian species, 1665

TCDD immunosuppressive activity, effect of inducers of P-450

cytochrome isoenzymes, 1707 TCDD-, binding, a new structure-affinity relationship, 1673 TCDD-, properties, a QSAR approach, 1657
TCDD-, structure, possible

functions and relationship to endocrine receptors. 1649 TCDD, AHH-inducing activity,

effects of cytosolic receptor modulation, rats, 1909 TCDD, hepatic cytosolic-levels,

modulation by PCBs and organochlorine pollutants, 2085

Sediments

chlorinated dioxins and dibenzofurans in leachate and sediments of sanitary landfill, Germany, 1981

dioxins, determination in fish and sediment, 1085 PCDDs and PCDFs in sewage sludge, river and lake sediments,

Germany, 1421

petrogenic contamination in recent sediments, identfication by HPLC monitoring of aromatic components, 229

petroleum hydrocarbon evolution in superficial marine sediments, detn by continuous flow through systems, 205

chlorinated dioxins and dibenzofurans in leachate and sediments of sanitary landfill, Germany, 1981 PCDDs and PCDFs in sewage sludge,

river and lake sediments, Germany, 1421

*C-15N-labelled urea-formaldehyde polymers in soil and barley plants, fate under outdoor conditions, 1073 chlorinated dioxins, large scale

environmental survey, overview and soil data, 1453 hexachloroxanthene, mobility in Times beach, Missouri, 2069 Hg in vegetation of mount Amiata area, 1035

hydroxyethane diphosphonate,

degradability, sludge adsorption, mobility in soils and bioconcentration factors affecting environment, 929 PCBs, background levels in

Britain, 499 PCDDs in samples, clean-up procedure for determination,

1107 pentachlorophenol, effect on bioactivity, iron-reduction test, 309

phthalate esters, chemodynamic properties, partitioning and migration, 1003

Sevesco area, assessment of exposure to TCDD, 1851 TCDD and related compds,

contamination, organisms or chemicals for destruction, 1513 TCDD contamination, Times beach Missouri and Newark, comparative toxicity, 2121

TCDD, assessment of health risks, 1867

TCDD mobility, vapour phase transport and role of dispersing medium, 1389

TCDD, water solubility determination, 1397 waste waters from olive oil extraction plants, effect on bacteria population, 659

Sol vents

PCDDs and PCDFs from municipal waste flyash, leaching out by

water and organic solvents, 1927 Spectroscopy see also Techniques fish exposed to petroleum, 1°C NMR in analysis of conjugate metabolites in the bile, 787 organic compds, relationship between OH radical rate constants in gaseous phase and their chemical shifts in 'H- and

Structure-Activity relationship

3C NMR, 971

estimation of toxicity of chemicals on fish by physicochemical properties, 195 PCBs, structure activity, use of principal components analysis to predict inducers of mixedfunction oxidase activity, 275

PCDDs and PCDFs, correlation between <u>in vitro</u> nd <u>in vivo</u> structure— activity relationships, 1725

pyridines, structure-activity examined by principal components analysis, 59 TCDD receptor binding, a new structure-affinity relationship,

Cd uptake in two strains of Saccharomyces and one strain of Rhodotorula cells in presence and absence of glucose, 981

Sulphur compounds

environmental fate of linear alkylbenzenesulphonates, assessment, 3 Tagetes component alpha-terthienyl, a light dependent

fish poison, 49

Synergiam

synthetic pyrethroids, synergism with piperonyl butoxide against Lymnaea acuminata, 493

Techniques see also Spectroscopy
accumulation differences in marine
organisms, quantitation of PCB
patterns, 289

percentaction defect on
bloadtivity of soils, ironreduction test, 309
petrogenic contamination in recent

aerobic biodegradation tests, behaviour of dyestuffs, 479 amphibians, chemical causes for decrease, tests with Xenopus laevia, 807

analysis of stack emission sampling and sample preparation, comparison of polyurethane foam plug technique and impinger technique, 1917 atmospheric carbonyl compds,

speciation using improved HLPC method, 667

biodegradability assessments, need for applying stability tests, 471 closed bottle test, reroducibility study, 331

dioxin contaminated sites, innovative remedial action technology, 1535 dioxin exposure assessment, use in rad rospective cohort mortality study in US. 1753

dioxins in drinking water, trapping via reverse-phase adsorbent cartridge, 1127 incinerator testing and evaluation,

two-stage combustion tests, 1201 n-octanol/water partition coeffs, ecotoxicological behaviour of chemicals via chromatographic and structural parameters, 1467 organic and heavy metal pollutants in

Mississippi river, 795 organic compds, relationship between OH radical rate constants in gaseous

phase and their chemical shifts in 1H- and 13C NMR, 971 organophosphorus compds and carbamate residues in aquatic system of Ioannina basin and Kalamas river,

1023 PCB-methylsulphone congeners, determination in Yusho and control

patients, 2027 PCDD and PCDF residue data from GC/MS analyses, evaluation by pattern recognition, 1435 PCDD and PCDF, quantitative detn in ambient air, 607 PCDD determination

PCDD, determination in pyrolysates from chlorinated phenolates, 2035 PCDDs and PCDFs analysis in flyash by high resolution mass spectrometry,

2115 PCDDs and PCDFs in complex environmental samples, comparison of quantitation by high resolution GC with flame ionisation, electron

capture and mass spectrometry, 1141 PCDDs and PCDFs in stack gas, comparison of sampling methods, 1187 PCDDs and PCDFs investigation of different environmental samples

PCDDs and PCDFs, analysis, HPLC and heart cutting techniques, use in clean-up procedure, 1123 PCDDs in soil samples, clean-up procedure for determination, 1107

PCDDs/PCDFs, review of stack sampling methods, 1173 PCDD/PCDF in fly ash, different

treatment techniques, 1135 PCDFs, synthesis, capilliary gas chromatography and gas chromatographic/mass spectrometry

characteristics, 1931
PCQS, detn by HPLC and application to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

sediments, identfication by HPLC monitoring of aromatic components, 229

phthalate esters, chemodynamic properties, partitioning and soil migration, 1003 polychlorinated dioxins, vapour pressure determination by gas

saturation methods, 2073 TCDD, fast selective detection using mobile mass spectrometer

MM1, 2031 TCDDs(22) by electron impact ionisation mass spectrometry synthesis and relative response factors, 1601

tetrachlorinated planar molecules(8), N-octanol/water partition coeffs by reverse phase liquid chromatography/mass spectrometry, 163 total and combined Cl in water,

detn with pyridine-pyrazolone reagent, 707

volatile organic compds, in air of southern Black forest, 985 waste incinerators, examination for dioxins, determination of PCBs and other chlorinated hydrocarbons, 2093

Terthienyls

Daphnia magna and Aedes aegypti irradiated in presence of alphaterthienyl, protectiong effect of beta-carotene, 781

Tissues and Tissue fluids

2,3,4,7,8-PenCDF, interaction with cytochrome P-450 isozymes in hepatic microsomes of rats, 731 2,3,7,8-TCDD and related dioxins and furans in tissues of

Chelydra serpentina, 537 administration of PCDDs and PCDFs from flyash in mammals, hamacokinetic aspects, 1477

bullfrogs, tissue distribution of 2,3,7,8-TCDD in contaminated area, 121 chlorocarbons in adipose tissue

from Missouri population, 1595 dioxins and dibenzofurans in human samples from Europe, 1635

dioxins and furans, variation in human tissue, 1585 fish exposed to petroleum, 13C NMR in analysis of conjugate metabolites in the bile, 787

furan human exposure, phenotypical dissection of T4+ and T8+ lymphocytes using Leu 8 reagent to reveal increase of T8+ Leu 8+

subset, 1799 hexachloronaphthalene, strongly bioaccumulaing, character isation, 619 metabolism of metasystox R in cell

suspension cultures of sugarbeet, 961 PsCDD, pharmacokinetics and

metabolism in rat, 1473 PCB-methylsulphone congeners, determination in Yusho and control patients, 2027

PCbs, congeneric, effects on liver and kidney retinoid levels, rats, 1905

PCDDs and PCDFs in human adipose tissue in Japan, 1629 PCDDs and PCDFs in human breast milk from Netherlands, 693 PCDDs and PCDFs in human milk. reasons for concern, 1641

PCDDs and PCDfs, determination in

human milk, 1977 PCDDs and PCDFs, studies on distribution and embryotoxicity in mice and marmosets, 2011 PCQS, detn by HPLC and application

to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

pentachlorophenol, pure and technical grade, effects on cultures rat hepatocytes, 2125 Pharmacokinetics of TCDD in man, 1489

rats, different regions of central and peripheral nervous system, effect of Cd on distribution of Cu, Zn and Fe, 373

rats, tissue distribution and excretion of hexabromo- and hexachloro-benzene, 453

TCDD action in human hepatoblastoma HEPG₂ tissue culture cell line, functional and microscopical observations,

TCDD and dibenzofuran levels in human adipose tissue and milk samples from Vietman, 1613 TCDD levels in adipose tissue in Vietmen veterans seeking medical

assistance, 1787 TCDD localisation in hairless mouse skin, 2065 TCDD, hepatic cytosolic receptor

levels, modulation by PCBs and organochlorine pollutants, 2085 TCDD, human adipose tissue data in

US samples, 2055

Toxicity

benzo[a]pyrene and pyrene, toxicity in Aedes aegypti in the dark and in UV light, 243

CDDs and CDFs and toxic potentials in incineration products. relative toxicities assessed by E.L.S.-bioassay, 1165 CDDs and CDfs mixtures. estimate

of risks associated with exposures, 1895 chlorinated dioxins, exposed

workers, evaluation of mortality patterns, 1769 dioxin studies, status of centers

for disease control, US population, 1765 estimation of chemicals on fish by

physico-chemical properties, 195 furan human exposure, phenotypical dissection of T4+ and T8+ lymphocytes using Leu 8 reagent to reveal increase of T8+ Leu 8+

subset, 1799 of particulate emmisions from municipal incinerators, concept of TCDD equivalents, 1733

partition coeffs of thioureas and their toxicity to Photobacterium phosphoreum, detn and prediction, 383 PCDDs and PCDFs, studies on

distribution and embryotoxicity in mice and marmosets, 2011 PenCDF in rats reduced by activated charcoal beads. 219

Photobacterium phosphoreum, prediction of acute toxic concentrations of 68 aromatic compds, ecotoxicological QSAR study, 993

polychlorinated azobenzenes, in vitro bioassays, 2105 Sevesco episode, validity of epimemiological inquiries in relation with definition of population at risk, 1777 TCDD and bioconcentration, fathead minnows, 1503

TCDD contaminated soil from, Times

beach, Missouri and Newark, comparative toxicity, 2121

TCDD induced temporal- and dose-related characteristics of biochemical and morphological alterations in hamster, 1749 TCDD levels in adipose tissue in

Vietmen veterans seeking medical assistance, 1787 TCDD metabolites, synthesis, biologic and toxic properties,

TCDD receptor properties, a QSAR approach, 1657

TCDD receptor, structure, possible functions and relationship to endocrine receptors, 1649 TCDD, relationship between

toxicity and induction of aryl hydrocarbon hydroxylase and ornithine decarboxylase, 19%71 TCDDs(22) by electron impact

ionisation mass spectrometry, synthesis and relative response factors, 1601

alpha-terthienyl fish poison with light dependency, 49 amphibians, chemical causes for

decrease, tests with Xenopus laevia, 807

PCQS, detn by HPLC and application to analysis of Yusho patient blood and toxic rice oil and distribution of synthetic PCQS in mice, 599

dielectric fluids, arochlor 1254 contaminated, pyrolysis and combustion, 1265

dielectric fluids, products of thermal degradation, 1261 electrical incident 1981-1986, emission of PCB, PCDDs and PCDFs in offices, 1273

electrical PCB accidents, an update, 1291 fire in market plaza, California,

1281 fires, exposure to PCB, PCDF and PCDD, 1297

fluid analysed for dioxin after electrical discharge, 1105 overheated-, exposure to PCBs, 1305

PCDDs and PCDFs accidental human exposure after transformer fire, 1953

simulated building fire study using retrofilled transformer dielectric coolant, 1957

chlorinated dioxins, dissolved organic matter mediated aquatic transport, 1379

multimedia transport of particle-bound organics, benzo[a]pyrene test case, 31

TCDD mobility in soil, vapour phase transport and role of dispersing medium, 1389

Triazenes

Ah receptor, interaction with 1,3diaryltriazenes, 1687

Vitamina

PCbs, congeneric, effects on liver and kidney retinoid levels, rats, 1905 TCDD effect on distribution and

excretion of emdogenous pool of vitamin A in rats with low liver vitamin A stores, 1715 transthyretin binding of PCBs,

model for mechanism of interference with vitamin A and thyroid hormone metabolism, 1699

chlorinated-, observations and assessments relating to incineration, 1577

Cl from solid waste combustion, monitoring fate by analysis, 1339

dioxin analysis in stack emissions, slags and wash water circuit during high temp incineration of C1-containing wastes, 1193

dioxin and waste disposal, UK experience, 1543

dioxin contaminated sites. innovative remedial action technology, 1535

dioxin formation in muicipal solid waste disposal, new theory, 1987 dioxins from Scandanavian waste

combustion plants, 2041 incinerator testing and

evaluation, two-stage combustion tests, 1201

incinerators, examination for dioxins, determination of PCBs and other chlorinated hydrocarbons, 2093 incinerators of different

countries, comparison of PCDD and PCDF in flyash, 1219 monobromo-polychloro- derivs of benzene, biphenyl, dibenzofuran and dibenzodioxin formed in chemical-waste burning, 755

PCDDs and PCDFs analysis of waste from production of Napentachlorphenolate, 1991 PCDDs and PCDFs in PCB oil from

waste site, analysis, 1113 PCDD/PCDF from incinerators, causes for and reduction of emissions, interpretion of recent measurements, 1225 Swedish incinerators, PCDds and PCDFs in emissions, 2045

TCDD mobility in soil, vapour phase transport and role of dispersing medium, 1389 Volgermeerpolder refuse dump, provional cleaning up, 1557

Volgermeerpolder refuse dump, remedial action strategies, 1567

Water see also Aquatic systems

chlorinated dioxins and dibenzofurans in leachate and sediments of sanitary landfill, Germany, 1981

chlorinated dioxins, waste water analyses, large scale environmental survey, 1445

dioxin analysis in stack emissions, slags and wash water circuit during high temp incineration of C1-containing wastes, 1193

dioxins in drinking water, trapping via reverse-phase adsorbent cartridge, 1127

PCDDs and PCDFs from municipal waste flyash, leaching out by water and organic solvents, 1927 strong mutagen 3-chloro-4-

(dicloromethyl)-5-hydroxy-2(5H)-furanone in chlorinated drinking water and humic waters, detn, 549

TCDD, water solubility determination, 1397

total and combined Cl in water, detn with pyridine-pyrazolone waste water treatment and lack of

biodegradability of pollutants, 183 waste waters from olive oil extraction plants, effect on soil bacteria population, 659

wood
riboflavin-photosensitised
degradation of veratrylglycerol6-arylethers, model compds for
lignin and chlorophenol and
nitrophenol derived lignin-bound

Xemoblotics
chemical degradation, 149

AUTHOR INDEX 1986

Adams R.E., Thomason M.M., Strother D.L., James R.H. and Miller H.C. Determination of PCDDs and PCDFs in PCB opil from a hazardous waste site, 1113 Adams W.J. and Blaine K.M. A water

Adams W.J. and Blaine K.M. A water solubility determination of 2,3,7,8-TCDD , 1397 Adams W.J., DeGraeve G.M., Sabourin

Adams W.J., DeGraeve G.M., Sabourin T.D., Cooney J.D. and Moeher G.M. Toxicity and bioconcentration of 2,3,7,8-TCDD to fathead minnows (Pimephales promelas, 1503 Addis G. Pyrolysis and combustion of

Addis G. Pyrolysis and compusion aroclor 1254 contaminated dielectriuc fluids, 1265 Agarwal R.A see Singh D.K. 493 Ahlborg U.G see Hakansson H. 1715 Akhtar M.H see Khan S.U. 923 Albalgés J see Bayona J.M. 595

Albanis T.A., Pomonis P.J. and Sdoukos A.Th. Organophosphorous and carbamates pesticide residues in the aquatic system of Ioannina basin and Kalamas River(Greece), 1023

Aldous K see O'Keefe P. 1127 Alexander L.R see Patterson D.G., Jr.

Alfieri A see Clement R.E. 1947 Anan'eva N.D see Steen W.C. 917 Andersson J.T. see Brodsky J. 139 Andersson J.T., HBussler R. and Ballschmiter K. Chemical

Ballschmiter K. Chemical degradation of xenoblotics. III. Simulation of the biotic transformation of 2-nitrophenol and 3nitrophenol, 149 Antoine S.R see DeLeon I.R. 795

Antoine S.R see DeLeon I.R. 795
Appel K.E., Hildebrandt A.G., Lingk W.
and Kunz H.W. Approaches to the
health risk assessment of
PCDD/PCDF, 1825
Arand M see Azals V. 1905

Arey J see Pitts J.N.,Jr. 675
Asplund L.,Jansson B.,Sundström
G.,Brandt I. and Brinkman U.A.Th.
Characterisation of a strongly
bloaccumulating hexachloronaphthalene, 619

Athar M see Dwivedi P.P. 813
Atkins D.H.F see Eduljee G.H. 1577
Azais V.,Pascal G.,Arand M.,Oesch F.
and Robertson L.W. Effects of
congeneric polychlorinated
binhemyls on liver and kidney

retinoid levels, 1905

Badsha K see Eduljee G. 81 Badsha K., Eduljee G. and Scudamore N. Environmental monitoring for PCB and trace metals in the vicinity of a chemical waste disposal facility - III, 947

Badsha K. and Eduljee G. PCB in the U.K. environment - a preliminary survey, 211 Baggs R.B see Gasiewicz T.A. 1749

Balasso A see Facchetti S. 1387 Balfarz R see Meyer J. 2035 Ballachmiter K see Andersson J.T. 149, see Brodsky J. 139, see Buchert H. 1923, see Class Th. 429, 413, see Nottrodt I.A. 1225, see Schäfer W. 755, see Swerev M.

aes Schäfer W. 755, see Swerev M.
1123, see Zoller W. 2129
Ballschmiter K. Buchert H., Micmczyk
R., Munder A. and Swerev H.
Automobile exhausts versus
municipal-waste incineration as
sources of the polychlorodibenzodioxins (PCDD) and -furans
(PCDF) found in the environment,
901

901
Ballschmiter K., Kirschmer P. and
Zoller W. Experiments in hightemperature chemistry of organo-

halogens, 1369
Bandiera S see Safe S. 1725
Bandurraga M.H see Holysh M. 3
Bannister R. Hason G. Kelley M. and
Safe S. The effects of cytosolic
receptor modulation on the AHHinducing activity of 2,3,7,8TDD, 1909
Banoub J.H see Hellou J. 787

Barbond J.H see Hellod J. [67]
Barbond M., Prammaurc E., Pelizzetti
E., Borgarello E., Serpone N. and
Jamleson M.A. Photochemical
degradation of chlorinated
dioxins, biphenyls phenols and
benzene on semiconductor
dispersion, [913]

Bargagli R., Barghigiani C. and Maserti B.E. Mercury in vegetation of the Mount Amiata area (Italy), 1035 Barghigiani C see Bargagli R. 1035

Barnes D., McBride A., Jaworski N., Harless R. and Dupuy A. A status report on the U.S. National dioxin study, 1401 Barse D.G., Bellin J. and Cleverly D. Interim procedures for estimating risks associated with exposures to mixtures of chlorinated dibenzodioxins and dibenzofurans (CDDs and CDFs), 1895

Batterman A.R see Kuehl D.W. 2023 Bayard S see Hiremath C. 1815 Bayliss D see Hiremath C. 1815 Bayona J.M., Albaigés J., Solanas A.M. and Grifoll M. Selective aerobic degradation of linear alkylbenzenes by pure microbial cultures, 595 Belli G see Ratti S.P. 1549

Bellin J see Barnes D. G. 1895 Benfenati R., Pastorelli R., Castelli M.G., Fanelli R., Carminati A., Farneti A. and Lodi M. Studies on the tetrachlorodibenzo-pdioxins (TCDD) and tetrachloro-

an urban incinerator, 557
Bengert G.A. see Maguire R.J. 253
Bennett W.E., Maas J.L., Sweeney S.A. and Kagan J. Phototoxicity in aquatic organisms: the protecting effect of beta-carotene, 781
Berchtold A. see Magemmaler H. 1991,

dibenzofurans (TCDF) emitted from

1421 Bergman J see Gillner M. 1673 Bergström J see Oberg T. 2041, 2045 Bernard J see Kochman S. 1799 Bernar D see Morehead N.R. 403

Bertrand J.C., Esteves J.L., Mulyono M. and Mille G. Use wof continuous flow through systems to determine petroleum hydrocarbon evolution in superficial marine sediments, 205

Betz U see Wollesen C. 2125 Birklund J see Folke J. 895 Birmingham B., Clement R., Harding D., Pearson R., Rokosh D., Smithies W., Szakolcai A., Thorce

W., Szakoloai A., Thorpe B.H., Tosine H. and Wells D. Chlorinated dioxins and dibenzofurans in Ontario - analysing and controlling the risks. Development of scientific criteria document leading to multi-media standards for polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzo polychlorinated dibenzofurans (PCDFs), 1835 Blaine K.M see Adams W.J. 1397 Blaner W.S see Brouwer A. 1699 Bobbie B see Clement R.E. 1947, 1147 Bode H see Christmann W. 2077 Boggess K.E see Stanley J.S. 1605 Bollag J.-M., McGahen L.L., Minard

R.D. and Liu S.-Y. Bloconversion of alachlor in an anaerobic stream sediment, 153 Bond G.G see Cook R.R. 1769

Bond G.G see Cook R.R. 1769 Borgarello E see Barbeni M. 1913 Brandt I see Asplund L. 619 Breen J see Stanley J.S. 1605 Brenner K.S., Dorn I.H. and Herrman

K. Dioxin analysis in stack emissions, slags and the wash water circuit during hightemperature incinveration of chlorine-containing industrial wastes; Part 2, 1193 Brenner K.S. PU-Foam-plug-technique

Brenner K.S. PU-Foam-plug-technique and extracvtive co-distillation (Bleidner apparatus), versatile tools for stack emission sampling and sample preparation, 1917 Breugem P., van Noort P., Velberg

Breugem P., van Noort P., Velberg S., Wondergem E. and Zijlstra J. Steady state concentrations of the phototransient hydrated electron in natural waters, 717 Brinkman U.A.Th see Asplund L. 619

Brodsky J., Andersson J.T. and Ballschmiter K. Chemical degradation of xenobiotics. II. Simulation of the biotic transformation of bis(2-ethylnexyl)phthalate and dioctylphthalate by abiotic means, 139

photolace and dictory-photolace by abiotic means, 139 Brooksbank M.G see Hallett D.J. 1405 Browser A., van den Berg K.J., Blaner W.S. and Goodman D.S. Transthyretin (prealbumin) binding of PCBs, a model for the mechanism of interference with vitamin A and thyroid hormone metabolism, 1699
Brown D see Pagga U. 479

Brown D see Pagga U. 479
Bruce S.S see Domalski E.S. 1339,
1355

Brunner H see Hagenmaier H. 1421 Büther H., Ricklers P., Teutsch H. and Thiemann W. Glutathione does not enhance the overall-rate of methaneis, 1043 methanes, 1043

methanes, 1043
Buchert H see Ballschmiter K. 901
Buchert H. and Ballschmiter K. Polychlorodibenzofurans (PCDF) and dioxins (PCDD) as part of the
general pollution in environmental samples of urban areas,
1923

Buckley T.J see Domalski E.S. 1355 Burkhard L.P. and Kuehl D.W. N-Octanol/water partition coefficients by reverse phase liquid chromatography/mass spectrometry for eight tetrachlorinated planar molecules, 163 Burton W see Hryhorczuk D.O. 1297 Byrne C.J see Deleon I.R. 795

Calamari D see Bacci E. 747 Cambillau C see Gillner M. 1673 Cantoni L see Vecchi A. 1707 Carminati A see Benfenati E. 557 Carra J see Stanley J.S. 1605

Carra J see Stanley J.S. 1605 Carsch S., Thoma H. and Hutzinger O. Leaching of polychlorinated dibenzo-p-dioxins and polychlorinated dibenzofurans from municipal waste incinerator fly ash by water and organic solvents, 1927

solvents, 1927 Castelli M.G see Benfenati E. 557 Cattabeni F see Pocchiari F. 1851 Cattini C see Villeneuve J.-P. 115 Cazabat A see Kochman S. 1799 Cerlesi S see Ratti S.P. 1549 Chambon P see Devillers J. 993 Chan K.-M see Hoff R.M. 449 Chandra S.V see Saxena D.K. 373 Chastrette M see Devillers J. 993 Chau Y.K see Maguire R.J. 253 Chesler S.W see Domalski E.S. 1355 Chiavari G see Facchini M.C. 667 Chittim B.G., Madge J.A. and Safe S.H. Pentachlorodibenzofurans:

S.H. Pentachlorodibenzofurans: synthesis, capillary gas chromatography and gas chromatographic/mass spectrometric characteristics, 1931

tographic/mass spectrometric characteristics, 1931 Choudhry G.G. and Webster G.R.B. Photochemical quatum yields and sunlight half-lives of polychlorodibenzo-p-dioxins in aquatic systems, 1935 Christmann W., Rotard W., Schinz V.

Christmann W., Rotard W., Schinz V. and Bode H. The investigation of different environmental samples for polychlorinated dibenzodioxins and dibenzofurans, 2077 Churney K.L see Domalski E.S. 1339,

Clapés P., Soley J., Vicente M., Rivera J., Caixach J. and Ventura F. Degradation of MCPA by photochemical methods, 395 Clark T. and Watkins D.A.M.

Photolysis of triadimenol, 765 Clarke J.U. Structure-activity relationships in FCBs: use of principal components analysis to predict inducers of mixedfunction oxidase activity, 275

Class Th. and Ballschmiter K. Chemistry of organic traces in air VI: distribution of chlorinated C, - C, hydrocarbons in air over the Northern and Southern Atlantic Ocean, 413

Class Th., Kohnle R. and Ballschmiter K. Chemistry of organic traces in air VII: bromo- and bromochloromethanes in air over the Atlantic Ocean, 429

Clement R.S., Bobble B. and Taguchi
V. Comparison of instrumental
methods for chlorinated dibenzop-dioxin (CDD) determination interim results of a round-robin
study involving GC-Ms, MS-MS, and

high resolution MS, 1147 Clement R.E., Alfieri A. and Bobbie B. Investigation of the quality of commercial chlorinated dibenzo-p-dioxin (CDD) standards,

Clement R.E. Reporting chlorinated dibenzop-dioxin and dibenzofuran data in scientific publications, 1157

Clement R.E. and Lennox S.A.
Worldwide survey on chlorinated
dibenzo-p-dioxin (CDD) and
dibenzofuran (CDF) analysis
capability, 1941

capability, 1941
Clevenger T.E see Palausky J. 1389
Cleverly D see Barnes D.G. 1895
Cohen Y see Ryan P.A. 21
Colmsjö A.L., Zebühr Y.J., Ostman
C.E., Wädding A. and Söderström H.
Polynuclear aromatic compounds in

the ambient air of Stockholm, 169 Conso F., Dally S., Cordier S. and Faloy M. Accidental human exposure to polychlorinated dibenzofurans and polychlorinated dioxins following a transformer fire, 1953

Constable J.D see Schecter A.J. 1613 Cook P.M see Kuehi D.W. 2023 Cook R.R., Bond G.G., 015on R.A., Ott M.G. and Condek M.R. Evaluation of the mortality experience of workers exposed to the chlorinated dioxins, 1769 Cooke M see DeRoos F.L. 1957 Cooney J.D see Adams W.J. 1503 Cordier S see Conso F. 1953 Cox E.A. and Finnecy E.E. Dioxins and waste disposal: The UK experience, 1543

Creaser C.S. and Fernandes A.R. Background levels of polychlorinated biphenyls in British soils, 499 Crestell T see Eisen H.J. 1965

Crestell T see Eisen H.J. 1965
Cristalli A see Perez G. 589
Cuiu C., Halman R., Li K., Thomas
R.S., Lao R.C. and Poole G.
Analytical procedures to assay
environmental samples for
PCDD/PCDF, PAH, PCB, chlorobenzenes (CB) and chlorophenols
(CP), 1091
Czuczwa J.M. and Hites R.A. Sources

Czuczwa J.M. and Hites R.A. Sources and fate of PCDD and PCDF, 1417

De Fré R. Dioxin levels in the emissions of Belgian municipal incinerators, 1255

De Voogt P. and Govers H. Structural and chromatographic predictors of n-octanol/water partition coefficients, 1467

DeGraeve G.M see Adams W.J. 1503 DeLeon I.R., Byrne C.J., Peuler E.A., Antoine S.R., Schaeffer J. and Murphy R.C. Trace organic and heavy metal pollutants in the Mississippi river. 795

Mississippi river, 795

Denison M.S., Milkinson C.F. and Okey
A.B. Ah Receptor for 2,3,7,8tetrachlorodibenzo-p-dioxin:
comparative studies in mammalian
and nonmammalian species, 1665

Denomme M.A see Safe S. 1657, see Safe S.H. 2085 DeRoos F.L.,Cooke M.,Rising B. and

DeRoos F.L., Cooke M., Rising B. and Martin W.H. Simulated building fire study using retrofilled transformer dielectric coolant, 1957

Devillers J., Chambon P., Zakarya D. and Chastrette M. A new approach in ecotoxicological QSAR studies, 993

Domalski E.S., Churney K.L., Ledford A.E., Jr. and Bruce S.S. Monitoring the fate of chlorine from MSW sampling through combustion Part I: Analysis of the waste stream for chlorine, 1339

Domalski E.S., Churney K.L., Ledford A.E., Jr., Bruce S.S., Buckley T.J., Parris R.M. and Chesler S.N. Monttoring the fate of chlorine from MSW sampling through combustion. Part II: Combustion studies 1255

studies, 1355

Donnelly K.C., Jones D.H. and Safe S.
The bacterial mutagenicity of
nitropolychlorinated dibenzo-pdioxins and related compounds,
1961

Dorn I.H see Brenner K.S. 1193
Doyle E.A. and Fries G.H. Induction
of aryl hydrocarbon hydroxylase
by chlorinated dibenzofurans in
rats 1705

rats, 1745

Draper W.M. Quantitation of nitroand dinitropolycyclic aromatic
hydrocarbons in diesel exhaust
particulate matter, 437

particulate matter, 437 **Drechsler W.D.** Destruction of PCDD/PCDF by non-thermal methods, 1520

African clawed toad (Xenopus laevius) for detecting chemical causes of the decrease of amohibians. 807

amphibians, 807

Dupuy A see Barnes D. 1401

Dwivedi P.P., Athar M., Hasan S.K. and

Srivastava R.C. Removal of nickel
by chelating drugs from the

organs of nickel poisoned rats,

Eadie B.J see Morehead N.R. 403 Eduljee G see Badsha K. 211, 947 Eduljee G., Badsha K. and Scudamo N. Environmental monitoring for PCB and trace metals iun the vicinity of a chhemical waste disposal facility - II, 81 Eduljee G.H., Atkins D.H.F. and

Eggleton A.E. Observations and assessment relating to incineration of chlorinated chemical wastes, 1577

Eggleton A.E see Eduljee G.H. 1577 Eisen H.J., Schecter A., Cresteil T. and Jaiswal A.K. Actions of 2,3,7,8-tetrachlorodibenzo-pdioxin (TCDD) in the human hepatoblastoma HEPG₂ tissue culture cell line: functional and electron microscopic obser-

vations, 1965 Engelhardt G see Preiss U. 961 England D.C see Huckins J.N. 563 Erickson M.D., Swanson S.E., Sack T.M. and Heggem D.T. Products of thermal degradation of dielectric fluids, 1261 Esteves J.L see Bertrand J.C. 205

Facchini M.C., Chiavari G. and Fuzzi S. An improved HPLC method for carbonyl compound speciation in the atmospheric liquid phase, 667

Falcy M see Conso F. 1953 Fanelli R see Bacci E. 747, see Benfenati E. 557

Benfenati E. 557
Farneti A see Benfenati E. 557
Farrell K see Safe S. 1725
Farrell K. and Safe S. 2,3,7,8Tetrachlorodibenzo-p-dioxin:
relationship between toxicity and
the industion of anyl bydrographon the induction of aryl hydrocarbon hydroxylase and ornithine

decarboxylase, 1971

Fernandes A.R see Creaser C.S. 499

Fernström B see Gillner M. 1673 Fernatura B see Gillner M. 1073 Finkner C see Facchetti S. 1387 Finker J.C see Geyer H.J. 1495 Finkelstein A see May D.J. 1201 Finnecy E.E see Cox E.A. 1543 Fischbein L. Limitations of health-

risk estimates for 2,3,7,8-tetrachlorodibenzodioxin, 1883 Focardi S see Bacci E. 747

Folke J. and Birklund J. Danish coastal water levels of 2,3,4,6tetrachlorophenol, pentachloro-phenol, and total organohalogens in blue mussels (Mytilus edulis)., 895 Fortunati U see Pocchiari F. 1851

Fortunati U.G see Ratti S.P. 1549 Frank A.P., Landrum P.F. and Eadle B.J. Polycyclic aromatic hydro-carbon rates of uptake, depuration, and biotrans-formations by Lake Michigan

Stylodrilus heringianus, 317
Frare G see Facchettl S. 1387
Framley N.N see Lamparski L.L. 1445, see Nestrick T.J. 1453 Freeman R.A see Rordorf B.F. 2069 Freudenthal J see Wegman R.C.C. 1107 Fries G.H see Doyle E.A. 1745

Fuerst P., Meenken H.-A. and Groebel W. Determination of polychlorinated dibenzodioxins and dibenzofurans in human milk, 1977 Fujita T see Safe S. 1657 Funcke W see Meyer J. 2035

Fuzzi S see Facchini M.C. 667

Gallo M.A see Umbreit T.H. 2121 Gasiewicz T.A see Hahn M.E. 1691, see Sweatlock J.A. 1687

Gasiewicz T.A., Henry E.C., Baggs R.B., Rucci G. and Schecter A. Temporal- and dose-related characteristics of biochemical and morphological alterations in the hamster induced by 2,3,7,8-tetrachlorodibenzo-p-dioxin, 1749 Gelbaum L.T see Patterson D.G.,Jr.

1601 Gerike P see Richterich K. 331 Geyer H.J., Scheunert I., Filser J.G. and Worte F. Bioconcentration potential (BCP) of 2,3,7,8-tetrachlorodibenzo-p-dioxin (2,3,7,8 TCDD) in terrestrial organisms including humans, 1495 Giblin D.E see Weerasinghe N.C.A.

1787

Gierthy J.F see Ryan J.J. 537 Gillner M., Fernström B., Gustafsson J.-A., Bergman J. and Cambillau C. A new structure-affinity relationship for TCDD receptor binding, 1673 Glasgow D.G see Rordorf B.F. 2069

Gotz R. Chlorinated dioxins and dibenzofurans in leachate and sediments of the sanitary landfill in Hamburg-Georgswerder, 1981

Gobas F.A.P.C see Opperhuizen A. 2049

Gobas F.A.P.C., Shiu W.Y., Mackay D. and Opperhuizen A. Bio-accumulation of PCDD's and OCDF in fish after aqueous and dietary

exposure, 1985 Goldstein J.A see Hahn M.E. 1691 Goodman D.S see Brouwer A. 1699 Gottling L see Hakansson H. 1715 Govers H see De Voogt P. 1467

Govers H., Ruepert C., Stevens T. and van Leeuwen C.J. Experimental determination and prediction of partition cefficients of thioureas and their toxicity to

photobacterium phosphoreum, 383 Graham J.J see Webster G.R.B. 1379 Graham M., Hileman F.D., Orth R.G., Wendling J.M. and Wilson J.D. Chlorocarbons in adipose tissue from a Missouri

population, 1595 Graziani A see Vecchi A. 1707 Greaves J see Unger M.A. 461 Griffin R.D. A new theory of dioxin formation in municipal solid

waste combustion, 1987 Grifoll M see Bayona J.M. 595 Groebel W see Fuerst P. 1977 Groenemeijer G.S see Wegman R.C.C.

Gross M.L see Weerasinghe N.C.A. 1787

Gustafsson J .- A see Gillner M. 1673, see Poellinger L. 1649, 1681

Haag R see Hagenmaier H. 1421 Hagenmaier H. and Berchtold A. Analysis of waste from production of Na-pentachlorophenolate for polychlorinated dibenzodioxins (PCDD) and dibenzofurans (PCDF), 1991

Hagenmaier H., Kraft M., Jäger W., Mayer U., Lützke K. and Siegel D. Comparison of various sampling methods for PCDDs and PCDFs in

stack gas, 1187
Hagenmaler H., Brunner H., Haag R. and
Berchtold A. PCDDs and PCDFs in sewage sludge, river and lake sediments from South West Germany, 1421
Hahn J.L., VonDemfange H.P. and Velzy

C.O. Effect of boiler operation and RDF feedstock on emissions of dioxins and furans from an RDF fired spreader-stoker system in Albany, NY, 1239 Hahn M.E., Gasiewicz T.A., Goldstein

J.A. and Linko P. Effect of hexa-chlorobenzene on the specific binding of 2,3,7,8-TCDD to the

hepatic AH receptor, 1691 kansson H., Ahlborg U.G. and Gottling L. The effect of dioxin (TCDD) on the distribution and excretion of the endogenous pool of witamin the 2.3.7.8-tetrachlorodibenzopool of vitamin A in rats with low liver vitamin A stores, 1715

Hallett D.J. and Brooksbank M.G. Trends of TCDD and related compounds in the Great Lakes: the Lake Ontario ecosystem, 1405 Halman R see Cuiu C. 1091

Hansen E.B., Jr see Korfmacher W.A. 121

Hansson M see Rappe C. 1635 Haraguchi K see Masuda Y. 1621 Haraguchi K., Kuroki H. and Masuda Y. Determination of PCB-methylsulfone congeners in Yushpo and control patients, 2027 Hardell L see Weerasinghe N.C.A.

Harding D see Birmingham B. 1835 Hardy J.A see Ryan J.J. 537

Harless R see Barnes D. 1401 Hasan S.K see Dwivedi P.P. 813 Hauschulz G see Thoma H. 2111, 649 Hay D.J., Finkelstein A. and Klicius R. The national incinerator testirng and evaluation program two-stage incinverator combustion tests, 1201 Heeremans C see van den Berg M. 1477

eggem D.T see Erickson M.D. 1261 Heida H. Provisional actions for cleaning up the volgermeerpolder refuse dump, 1557 Heida H.,Olie K. and Prins E.

Selective accumulation of chloro-benzenes, polychlorinated dibenzofurans and 2,3,7,8-TCDD in wildlife of the volgermeerpolder, Amsterdam, Holland, 1995 Heindl A. and Hutzinger O. Search

for industrial sources of PCDD/PCDF I. Approaches in the Federal Republic of Germany, 2001 Heindl A. and Hutzinger O. Search

for industrial sources of PCDD/PCDFs: II. Metal chlorides,

Halder Th. and Seinen W. Relative toxicities of some CDDs and CDFs and toxic potentials of incineration products, assessed by the E.L.S.-bioassay, 1165 Hellou J., Banoub J.H. and Payme J.F.

C NMR spectroscopy in the analysis of conjugate metabolites in the bile of fish exposed to petroleum, 787

Hemming J., Holmbom B., Reunanen M. and Kronberg L. Determination of the strong mutagen 3-chloro-4-(dichloromethyl)-5-hydroxy-2(5H)furanone in chlorinated drinking and humic waters, 549

Henry E.C see Gasiewicz T.A. 1749 Herrmann K see Brenner K.S. 1193 Herrmann M see Parlar H. 971 sse E.J see Umbreit T.H. 2121 Hidaka H see Tanabe S. 343 Hildebrandt A.G see Appel K.E. 1825 Hileman F.D see Graham M. 1595 Hilker D see O'Keefe P. 1127 Hinkamp D.L see Hryhorczuk D.O. 1297 Hiremath C., Bayliss D. and Bayard S.

Qualitative and quantitative cancer risk assessment of 2,3,7,8-tetrachloro-dibenzo-pdioxin (2,3,7,8-TCDD), 1815

Hirose Y see Kanno S. 707 Hites R.A see Czuczwa J.M. 1417 Höhn M see Thoma H. 2115

Hoff R.M. and Chan K .- W. Atmospheric concentrations of chlordane at Mould Bay, N.W.T., Canada, 449 Holler J.S see Patterson D.G. 2055 Holmbom B see Hemming J. 549

Holysh M., Paterson S., Mackay D. and Bandurraga M.M. Assessment of the environmental fate of linear alkylbenzenesulphonates, 3 Homonko K see Safe S. 1657 Honda Y see Yoshimura H. 219

Hoshita N see Mochiike A. 599 Houk V.N. Status of centers for disease control dioxin studies of U.S. population, 1765

Houk V.N. Uncertainties in dioxin

risk assessment, 1875 Hryhorczuk D see Orris P. 1305 Hryhorczuk D.O.,Orris P.,Kominsky J.R., Melius J., Burton W. and Hinkamp D.L. PCB, PCDF, and PCDD exposure following a transformer fire: Chicago, 1297

Huckins J.N., Petty J.D. and England D.C. Distribution and impact of trifluralin, atrazine, and fonofos residues in microcosms simulating a Northern Prairie wetland, 563 Huggett R.J see Unger M.A. 461

Hummel R.A see Lamparski L.L. 1445, see Nestrick T.J. 1453

Humppi T. Synthesis of polychlorinated phenoxyphenols (PCPP), phenoxy-anisoles (PCPA), dibenzo-p-dioxins (PCDD), dibenzofurans (PCDF) and diphenyl

oloemzofurans (PCDF) and alphenyl ethers (PCDE), 2003 Hutzinger O see Carsch S. 1927, see Heindl A. 653, 2001, see Sundstrom G. 2105, see Thoma H. 2111, 649, 2115, see van den Berg M. 519, 509, 1477

Jain V.K see Saxena D.K. 373 Jaiswal A.K see Eisen H.J. 1965 James R.H see Adams R.E. 1113 Jamieson M.A see Barbeni M. 1913 Jansson B see Asplund L. 619 Japenga J see Wegman R.C.C. 1107 Jamorski N see Barnes D. 1401 Jones D.H see Donnelly K.C. 1961 Jüttner F. Analysis of organic compounds (VOC) in the forest air of the Southern Black Forest, 985

Kagan E.D see Kagan J. 49, 243 Kagan J see Bennett W.E. 781 Kagan J., Kagan E.D. and Seigneurie E. Alpha-Terthienyl, a powerful fish poison with light-dependent

activity, 49 Kagan J. and Kagan E.D. The toxicity of benzo[a]pyrene and pyrene in the mosquito Aedes aegypti, in the darl and in the presence of untraviolet light, 243 Kalmaz E.K. and Trieff N.M. Kinetics of ozone decomposition and

oxidation of a model organic compound in water, 183 Kamimura H see Yoshimura H. 219

Kanamori H see Mochiike A. 599 Kanno S.,Okitsu T. and Hirose Y. Determination of total and combined chlorine in water with the pyridinepyrazolone reagent,

Kapila S see Palausky J. 1389 Karasek F.W see Tong H.Y. 1219, 1141 Kawano M see Yamaguchi Y. 453 Kelley M see Bannister R. 1909 Kennel S.J., Mason G. and Safe S. Monoclonal antibodies to

chlorinated dibenzo-p-dioxins, 2007

Keys B see Safe S. 1725 Khan S.U., Kacew S. and Akhtar M.H.
Bioavailability of bound 1°C residues in rats from bean plants treated with 1°C-deltamethrin.

Killops S.D. Identification of petrogenic contamination in recent sediments by HPLC monitoring or aromatic components: a preliminary investigation, 229

King E.P see Painter H.A. 471 Kirschmer P see Ballschmiter K. 1369, see Oehme M. 607 Kjeller L.-O see Rappe C. 1291, 1213 Kleemeyer H. and Thiemann W. A new

synthesis of heptachlor enantiomers, 687 Klicius R see Hay D.J. 1201 Knorr E see Thoma H. 645 Konig J see Meyer J. 2035 Kocher C.W see Lamparski L.L. 1445,

see Nestrick T.J. 145, See Nestrick T.J. 145, Kochman S., Bernard J., Cazabat A., Lavaud F., Lorton C. and Rappe C: Phenotypical dissection of immunoregulatory T cell subsets in human after furan exposure,

Koga N see Kuroki J. 731 Kohnle R see Class Th. 429 Kominsky J.R see Hryhorczuk D.O.

Nominsky J.H see Hrynorczuk D.U.
1297, see Orris P. 1305
Korfmacher W.A., Hansen R.B., Jr. and
Rowland K.L. Tissue distribution
of 2,3.7,8-TCDD in bullfrogs
obtained from a 2,3.7,8-TCDDcontempared ages, 121 contaminated area, 121 Korte F see Geyer H.J. 1495, see

Sotiriou N. 1073, see Zelles L.

Kotzias D see Parlar H. 971 Kraft M see Hagenmaier H. 1187 Krijgsheld K.R. and van der Gen A. Assessment of the impact of the emission of certain organochlorine compounds on the aquatic Moncehlorophenols and 2,4

dichlorophenol, 825

Krijgsheld K.R. and van der Gen A.
Assessment of the impact of the emission of certain organochlorine compounds on the aquatic environment. Part II: Allylchloride, 1,3- and 2,3-dichloro-propene, 861

rijgsheld K.R. and van der Gen A.
Assessment of the impact of the
emission of certain organochlorine compounds on the aquatic environment. Part III: Epichloro-hydrin. 881

Kronberg L see Hemming J. 549
Krowke R. Studies on distribution and embryotoxicity of different PCDD and PCDF in mice and marmosets, 2011 Kuehl D.W see Burkhard L.P. 163

Kuehl D.W., Cook P.M. and Batterman A.R. Uptake and depuration studies of PCDDs and PCDFs in freshwater fish, 2023 Kuna R .- P see Scheidl K. 2089 Kunz H.W see Appel K.E. 1825 Kuroki H see Haraguchi K. 2027, see

Masuda Y. 1621 Kuroki J., Koga N. and Yoshimura H. High affinity of 2,3,4,7,8-penta-chlorodibenzofuran to cytochrome P-450 in the hepatic microsomes of rats, 731

Kutz F.W see Stanley J.S. 1605

Lake B see Morehead N.R. 403 Lamparski L.L see Nestrick T.J. 1453 Lamparski L.L., Nestrick T.J., Frawley N.M., Hummel R.A., Kocher C.W., Mahle N.H., McCoy J.W., Miller D.L., Peters T.L., Pillepich J.L., Smith W.E. and Tobey S.W. Perspectives of a large scale environmental survey for chlorinated dioxins: water analyses, 1445 Landrum P.F see Frank A.P. 317, see

Morehead N.R. 403 Lanza A see Ratti S.P. 1549 Lao R.C see Cuiu C. 1091 Lapp R.L see Weerasinghe N.C.A. 1787 Lau B.P.-Y see Ryan J.J. 537 Lavaud F see Kochman S. 1799

Lawrence J., Omuska F., Wilkinson R. and Afghan B.K. Methods research: Determination of dioxins in fish and sediment, 1085 Ledford A.E., Jr see Domalski E.S. 1355, 1339

Lee A see des Rosiers P.E. 1313 Leece B.D see Safe S.H. 2085 Lennox S.A see Clement R.E. 1941 Leoni A see Facchetti S. 1387 Levin S.M see Wolff M.S. 301 Li K see Cuiu C. 1091 Li S.M.A see Safe S.H. 2085 Liddle J.A see Patterson D.G. 2055 Lilla E see Perez G. 589 Lindström G see Rappe C. 1635 Lingk W see Appel K.E. 1825 Linko P see Hahn M.E. 1691 Liu S .- Y see Bollag J .- M. 153 Lochmann E.-R see Rösick E. 981 Loch M see Benfenati E. 557 Lorton C see Kochman S. 1799 Lützke K see Hagenmaier H. 1187 Lund J see Poellinger L. 1649, 1681

MacIntyre W.G see Unger M.A. 461 Mack G.A see Stanley J.S. 1605 Mackay D see Gobas F.A.P.C. 1985, see Holysh M. 3 Madge J.A see Chittim B.G. 1931 Maggio V see Patterson D.G., Jr. 1601 ggure R.J., Tkacz R.J., Chau Y.K., Bengert G.A. and Wong P.T.S. Occurrence of organotin compounds in water and sediment in Canada, 253

Mahle N.H see Lamparski L.L. 1445,

see Nestrick T.J. 1453 Mahran M.R see Abdou W.M. 1063 Malhotra R.K see Palausky J. 1389 Manahan S.E see Palausky J. 1389 Mangir M see Rösick E. 981 nnschreck A see Püttmann M. 2061 Mano S see Oehme M. 607 Marklund S see Rappe C. 1291, 1213 Marlow D.A. An exposure matrix for the NIOSH dioxin registry, 1753 Marti E see Weber H. 1333 Martin W.H see DeRoos F.L. 1957 Martinez J see Paredes M.J. 659 Maserti B.E see Bargagli R. 1035 ason G see Bannister R. 1909, see Kennel S.J. 2007, see Safe S.

son G. and Safe S. Synthesis, biologic and toxic properties of 2.3.7.8-TCDD metabolites, 2081 asuda Y see Haraguchi K. 2027, see

Ono M. 1629, see Takenaka S. 739
Masuda Y., Kuroki H., Haraguchi K. and
Nagayama J. PCDFs and related compounds in humans from Yusho and Yu-Cheng incidents, 1621 Matsuo T see Mochiike A. 599

Matz G. and Odernheimer B. Fast, selective detection of TCDD using the mobile mass spectrometer MM 1, 2031 Mauri C see Facchetti S. 1387

Mayer U see Hagenmaier H. 1187 Mayring L., Renner G., Nguyen P.-T. and Prigge H. Referenzmetaboliten von Schwefel Enthaltenden

derivaten der Fungizide Pentachlornitrobenzol und Hexachlorbenzol .I. Analytische Date.

Mayring L., Nguyen P.-T., Renner G. and Prigge H. Referenzmetaboliten von Schwefel Enthaltenden derivaten der Fungizide Pentachlornitrobenzol und hexa-

Pentachlornitrobenzol und hexa-chlorberzol. II. Synthesen und analytische Daten, 105 McChesney M.M see Seiber J.N. 127 McCoy J.W see Lamparcki L.L. 1445, see Nestrick T.J. 1453

McDuffie B see Russell D.J. 1003 McGahen L.L see Bollag J.-M. 153 Mechan J.L see Weerasinghe N.C.A.

Heemken H.-A see Fuerst P. 1977 Heemken L see van den Berg M. 1477 Hejia V see Pitts J.N., Jr. 675 Melius J see Hryhorczuk D.O. 1297, see Orris P. 1305

Merlo F., Puntoni R. and Santi L. The Sevesco episode: the validity of epidemiological inquires in relation with the definition of population at risk, 1777 Heyer C see O'Keefe P. 1127

Heyer J., Umland F., Funcke W., Balfanz E. and König J. Determination of polychlorinated dibenzo-p-dioxin (PCDD) in nymlyates from (PCDD) in pyrolzates fro chlorinated phenolates, 2035 Hikalsen A see Oehme M. 607

Mille G see Bertrand J.C. 205 Miller D.L see Lamparski L.L. 1445, see Nestrick T.J. 1453 Miller H.C see Adams R.E. 1113 Minard R.D see Bollag J.-M. 153 Mizumo T see Yoshioka Y. 195

Mochiike A., Matsuo T., Kanamori H., Hoehita N. and Sakamoto I. Determination of PCQS by HPLC and its application to the analysis of Yusho patient blood and toxic rice oil and to the distribution of synthetic PCQS in mice, 599

Moeller J.T see Nielsen K.K. 1247 Monteoliva-Sanchez M see Paredes

Morehead N.R., Eadie B.J., Lake B., Landrum P.F. and Berner D. The sorption of PAH onto dissolved organic matter in Lake Michigan waters, 403

Moreno E see Paredes M.J. 659 Morosini M see Bacci E. 747 Mosher G.M see Adams W.J. 1503 Moulton M.P. and Schultz T.W. Structure-activity relationships of selected pyridines II.

Principal components analysis, 59 Micke W see Schulze H. 771
Muir D.C.G see Webster G.R.B. 1379
Mukerjee D., Stara J.F. and Schaum
J.L. Rationale for assessment of risk from exposure to 2,3,7,8-

TCDD, 1805 Muldrew D.H see Webster G.R.B. 1379 Mulyono M see Bertrand J.C. 205 Munder A see Ballschmiter K. 901 Murphy R.C see DeLeon I.R. 795 Murray F.J see Paustenbach D.J. 1867 Murthy R.C see Saxena D.K. 373

Nakano M see Yoshimura H. 219 Needham L.L see Patterson D.G. 2055, see Patterson D.G., Jr. 1601 Nestrick T.J see Lamparski L.L. 1445 Nestrick T.J., Lamparski L.L., Frawley N.N., Hummel R.A., Kocher

N.M., Mummel H.A., McCoy J.W., Miller C.W., Mahle N.H., McCoy J.W., Miller D.L., Peters T.L., Pillepich J.L., Smith W.E. and Tobey S.W. Perspectives of a large scale environmental surcey for chlorinated dioxins: overview and

soil data, 1453 Neupert H., Thies J. and Weis H.
Demands of effective PCDD/PCDFanalysis in environment and production control, Aims of an analytical laboratory to meet legal and toxicological requirements. Critical approach to detection limits, 1099

yen P.-T see Mayring L. 97, 105 Nielsen K.K., Moeller J.T. and Rasmussen S. Reduction of dioxins and furanes by spray dryer absorption from incinerator flue gas. 1247

Niemczyk R see Ballschmiter K. 901 Norstrom R.J see Stalling D.L. 1435 Nottrodt I.A. and Ballschmiter K. Causes for, and reduction strategies against emissions of PCDD/PCDF from waste incineration plants - interpretations of recent measurements -, 1225 Nygren M see Rappe C. 1291, 1635

O'Connor R.C see Patterson D.G., Jr. 1601 O'Keefe P see Ryan J.J. 537

O'Keefe P., Mayer C., Smith R., Hilker D., Aldous K. and Wilson L. Reverselphase absorbent cartridge for trapping dioxins in drinking water, 1127 Oberg T. and Bergström J. "Dioxin"

from Scandinavian waste combustion plants, 2041 Oberg T. and Bergström J. Combustion test data from a Swedish hazardous waste incinerator, 2045 Odernheimer B see Matz G. 2031 Ochlmann L see Preiss U. 961

Ochme M., Mano S., Mikalsen A. and Kirschmer P. Quantitative method for the determination of femtogram amounts of poly-chlorinated dibenzo-P-dioxins and dibenzofurans in outdoor air, 607

Oesch F see Azais V. 1905, see Püttmann M. 2061 Oguri K see Yoshimura H. 219 Okey A.B see Denison M.S. 1665 Okitsu T see Kanno S. 707

Olie K see Kannio S. 701 Olie K see Heida H. 1995, see Opperhuizen A. 2049, see van den Berg M. 519, 1477, 509, 693 Olson R.A see Cook R.R. 1769 On M., Wakinoto T., Tatsukawa R. and Masuda Y. Polychlorinated dibenzo-p-dioxins and dibenzofurans in human adipose tissues of Japan, 1629 Onstot J see Stanley J.S. 1605

Omuska F see Lawrence J. 1085 Opperhuizen A see Gobas F.A.P.C. 1985

Opperhuizen A., Wagenaar W.J., van der Wielen F.W.M., van den Berg M.,Olie K. and Gobas F.A.P.C. Uptake and elimination of PCDD/PCDF congeners by fish after aqueous exposure to a fly-ash extract from a municipal incinerator, 2049

Orris P see Hryhorczuk D.O. 1297 Orris P., Kominsky J.R., Hryhorczuk D. and Melius J. Exposure to polychlorinated biphenyls from overheated transformer, 1305 Orth R.G see Graham M. 1595 Ose Y see Yoshioka Y. 195 Ott M.G see Cook R.R. 1769

Ozvacic V. A review of stack sampling methodology for PCDDs/PCDFs, 1173

Paasivirta J see Surma-Aho K. 353, see Tarhanen J. 2109

Paasivirta J., Tarhanen J. and Soikkeli J. Occurence and fate of polychlorinated aromatic ethers (PCDE, PCA, PCV, PCPA and PCBA)

in environment, 1429
Pagga U. and Brown D. The
degradation of dyestuffs: Part II. Behaviour of dyestuffs in aerobic biodegradation tests, 479 Painter H.A. and King E.F. The need for applying stability tests in

biodegradability assessments, 471
Palausky J., Kapila S., Manahan S.E., Yanders A.F., Malhotra R.K. and Clevenger T.E. Studies on vapor phase transport and role of dispersing medium on mobility of 2,3,7,8 TCDD in soil, 1389

Pan J.C see Weerasinghe N.C.A. 1787 Paredes H.J., Monteoliva-Sanchez H., Moreno E., Perez J., Ramos-Cormenzana A. and Martinez J. Effect of waste waters from olive oil extraction plants on the bacterial population of soil, 659

Parlar H., Kotzias D., Herrmann M. and Zsolnay A. Relationship between the OH radical rate constants or organic compounds in gaseous phase and their chemical shifts in 'H- and 'G-NMR spectroscopy,

Parris R.M see Domalski E.S. 1355 Pascal G see Azais V. 1905 Pastorelli R see Benfenati E. 557 Paterson S see Holysh M. 3 Patterson D.G., Holler J.S., Smith S.J., Liddle J.A., Sampson E.J. and Needham L.L. Human adipose data

for 2,3,7,8-tetrachlorodibenzo-pdioxin in certain U.S. samples. 2055

Patterson D.G., Jr., Alexander L.R., Gelbaum L.T., O'Connor R.C., Maggio V. and Needham L.L. Synthesis and relative response factors for the 22 tetrachlorodibenzo-p-dioxins (TCDDs) by electron-impact ionization mass spectrometry, 1601 Paur H.-R see Pitts J.N.,Jr. 675

Paustenbach D.J. and Murray F.J. A critical examination of assess-ments of the health ricks associated with 2,3,7,8-TCDD in soil, 1867 Paxton M.B see Schulz C.O. 2099

Payne J.F see Hellou J. 787 Pearce N.E see Smith A.H. 1795 arson R see Birmingham B. 1835 Pelizzetti E see Barbeni M. 1913 Perez G., Lilla E. and Cristalli A. Formation of polycyclic aromatic hydrocarbons by ionizing

radiations, 589
Perez J see Paredes M.J. 659
Peterman P.H see Stalling D.L. 1435
Peters T.L see Lamparski L.L. 1445, see Nestrick T.J. 1453 Petty J.D see Huckins J.N. 563 Peuler E.A see DeLeon I.R. 795 Pillepich J.L see Lamparski L.L. 1445, see Nestrick T.J. 1453

Piskorska-Pliszczynska J see Safe S.

1725, 1657, see Safe S.H. 2085
Pitts J.N., Jr., Paur H.-R., Klelinska
B., Arey J., Winer A.M., Ramdahl T.
and Mejia V. Factors influencing the reactivity of polycyclic aromatic hydrocarbons absorbed on filters and ambient POM with ozone, 675 Pocchiari F., Cattabeni F., Porta

Zapponi G. Assessment of exposure to 2,3,7,8-tetrachloro-dibenzop-dioxin (TCDD) in the Sevesco area. 1851

Poellinger L., Wilhelmsson A., Lund J. and Gustafsson J.-A. Biochemical characterization of the rat liver receptor for 2,3,7,8-TCDD - a comparison to the rat liver glucocorticoid receptor, 1681 Poellinger L.,Lund J.,Säderkvist P. and Gustafsson J.-A. The receptor for 2,3,7,8-TCDD: structure, possible functions and relationship to endocrtine receptors - an overview, 1649

Poiger H see Wacker R. 1473
Poiger H. and Schlatter C. Pharmacokinetics of 2,3,7,8-TCDD in man,

Pomonis P.J see Albanis T.A. 1023 Poole G see Cuiu C. 1091 Porta G.D see Pocchiari F. 1851 Pramauro E see Barbeni M. 1913 Preiss U., Wagner K., Ochlmann

L., Wallnöfer P.R. and Engelhardt G. Metabolism of demeton S-methyl sulfoxide (metasystox R) in cell suspension cultures of sugarbeet. 961

President P.E see Velzy C.O. 1179
Prigge H see Mayring L. 105, 97
Prins E see Heida H. 1995
Przytocka-Jusiak M see Skowroński T.

Püttmann N., Oesch F., Robertson L.W. and Mannschreck A. Characteristics of polychlorinated biphenyl (PCB) atropisomers, 2061

Puhvel S.M., Sakamoto M. and Reisner R.M. Localization of TCDD in hairless mouse skin, 2065 Puntoni R see Merlo F. 1777

Ramos-Cormenzana A see Paredes M.J. 659

Rapp U see Thoma H. 2115
Rappe C see Kochman S. 1799
Rappe C., Mygren M., Lindström G. and
Hansson M. Dioxins and dibenzofurans in biological samples of
European critin. 1635

European origin, 1635
Rappe C.,Kjeller L.-O.,Marklund S. and Nygren M. Electrical FCB accidents, an update, 1291
Rappe C.,Marklund S.,Kjeller L.-O.

Rappe C., Marklund S., Kjeller L.-O. and Tysklind M. PCDDs and PCDFs in emissions from various incineratores, 1213 Rasmussen S see Nielsen K.K. 1247

Rasmussen S see Nielsen K.K. 1247 Ratti S.P., Belli G., Lanza A., Cerlesi S. and Fortunati U.G. The Sevesco dioxin episode: time evolution properties and conversion factors between different analytical methods. 1549

Reisner R.M see Puhvel S.M. 2065 Rekolainen S see Surma-Aho K. 353 Remmers J.C see Stanley J.S. 1605 Renner G see Mayring L. 97, 105 Reunanen M see Hemming J. 549 Richterich K. and Gerike P. A

reproducibility study in the closed bottle test, 331 Ricklefs P see Büther H. 1043 Rising B see DeRoos F.L. 1957 Rist S see Thoma H. 2111, 649 Rivera J see Clapés P. 395 Rösick E., Mangir M. and Lochmann E. R. Unterschiedliche Aufnahme von

Rosick E., Mangir M. and Lochmann E.-R. Unterschiedliche Aufnahme von Cadmium in Saccharomyces- BZW. Rhodotorula-Zellen, 981 Robertson L.W see Azais V. 1905, see

Püttmann M. 2061 Robinson P see Stanley J.S. 1605 Rokosh D see Birmingham B. 1835 Romkes M see Safe S. 1725, 1657 Rordorf B.F., Freeman R.A., Schroy J.M. and Glasgow D.G. Mobility of

J.M. and Glasgow D.G. Mobility of HCX at Times Beeach, Missouri, 2069
Rordorf B.F. Thermal properties of

dioxins, furans and related compounds, 1325 Rordorf B.F., Sarna L.P. and Webster G.R.B. Vapor pressure determination for several polychlorodioxins by two gas saturation methods, 2073

Rosenman K.D see Wolff M.S. 301 Rotard W see Christmann W. 2077 Roth W see Steiglitz L. 1135 Rowland K.L see Korfmacher W.A. 121 Rucci G see Gaslewicz T.A. 1749 Ruepert C see Govers H. 383 Russell D.J. and McDuffle B. Chemodynamic properties of phthalate esters: partitioning and soil

migration, 1003 Ryan J.J. see Scheeter A.J. 1613 Ryan J.J., Lau B.P.-Y., Hardy J.A., Stone W.B., O'Keefe P. and Gierthy J.F. 2,3,7,8-Tetrachlorodibenzo-P-dioxin and related dioxins and furans in snapping turtle (Chelydra Serpentina) tissues from the upper St.

Lawrence river, 537
Ryan J.J. Variation of dioxins and
furans in human tissues, 1585
Ryan P.A. and Cohen Y. Multimedia
transport of particle-bound
organics: berzo(a)pyrene test

case, 21

Sack T.M see Erickson M.D. 1261, see Stanley J.S. 1605 Safe S see Bannister R. 1909, see Donnelly K.C. 1961, see Farrell K. 1971, see Kennel S.J. 2007, see Mason G. 2081, see Sundstrom

G. 2105

Safe S., Mason G., Keys B., Farrell
K., Zmudcka B., Sawyer
T., Pistorska-Pliszczynska J., Safe
L., Boekse M. and Bandiera S.
Polychlorinated dibenzo-p-dioxins
and dibenzofurans: correlation
between in vitro and in vivo
structure-activity relationships
(SARS), 1725

(SARs), 1725 Safe S., Fujita T., Romkes M., Piskoraka-Pliszczynska J., Homonko K. and Denomme M.A. Properties of the 2,3,7,8-TCDD receptor-A QSAR approach, 1657 Safe S.H see Chittim B.G. 1931

Safe S.H., Plakoreska-Pliszczynska J., Dencame M.A., Leece B.D., Towner R.A. and Li S.H.A. Modulation of hepatic 2,37,8-TCDD cytosolic receptor levels by PCBs and organochlorine pollutants, 2085 Salemento I. see Mochilica A 509

organochlorine pollutants, 2085 Sakamoto I see Mochilke A. 599 Sakamoto I see Puhvel S.M. 2065 Sampson E.J see Patterson D.G. 2055 Sampson E.J see Seiber J.N. 127 Santi L see Merlo F. 1777 Sarna L.P see Rordorf B.F. 2073, see Webster G.R.B. 1379

Sato T see Yoshioka Y. 195 Sawyer T see Safe S. 1725, see Sundstrom G. 2105

Saxena D.K., Murthy R.C., Jain V.K. and Chandra S.V. Influence of cadmium on the distribution of Cu, Zn and Pe in different regions of central and peripheral nervous system of rats, 373 Schäfer W. and Ballsofmuiter K.

Scharer W. and Balischmiter K.

Monobromo-polychloro-derivatives
of benzene, biphenyl, dibenzofurane and dibenzodioxine formed
in chemical-waste burning, 755
Schaeffer J see Deleon I.R. 795

Scheoter A see Elsen H.J. 1965, see Gaslewicz T.A. 1749 Scheoter A. The Binghampton state office building CPB, dloxin and diberacofuran electrical transformer incident: 1981-1986, 1273 Scheoter A.J see Weersainghe N.C.A.

Schaum J.L see Mukerjee D. 1805

1787
Schecter A.J., Ryan J.J. and
Constable J.D. Chlorinated
diberzo-p-dioxin and diberzofuran
levels in human adipose tissue
and milk samples from the North
and South of Vietnam, 1613

Scheidl K., Murst F. and Kuna R.-P. Dioxin and furan emissions from a fluidized-bed incinerator during the combustion of paper recycling residues, 2089

Scheunert I see Geyer H.J. 1495, see Sotiriou N. 1073, see Zelles L. 309

Schinz V see Christmann W. 2077 Schlatter C see Poiger H. 1489, see Wacker R. 1473

Schlatter Ch see Suter-Hofmann M. 1733

Schreiner H., Spitzhütti K. and Vierle O. Determination of polychlorinated biphenyls and other chlorinated hydrocarbons in context with examinations of dioxins in waste incinerators, 2093

Schroy J.M see Rordorf B.F. 2069 Schultz T.W see Moulton M.P. 59 Schulz C.O., LaGoy P.K. and Paxton M.B. Reviewing the literature on the health effects of phenoxy herbicides and associated dioxins, 2099

Schulze H. and Mücke W. Priority setting for industrial chemicals of health and environmental relevance. 771

Schulzeck S see Wollesen C. 2125 Scudamore N see Badsha K. 947, see Eduljee G. 81

Sdoukos A.Th see Albanis T.A. 1023 Seiber J.W., McChesney M.H., Sanders P.F. and Woodrow J.E. Models for assessing the volatilization of herbicides applied to flooded rice fields. 127

rice fields, 127
Seigneurie E see Kagan J. 49
Seinen W see Helder Th. 1165
Serpone N see Barbeni M. 1913
Sfreddo-Gallotta E see Vecchi A.

Shiu W.Y see Gobas F.A.P.C. 1985 Sidgy M.M see Abdou W.M. 1063 Siegel D see Hagenmaier H. 1187 Silano V see Pocchiari F. 1851 Simon M see Stalling D.L.: 1435 Singh D.K. and Agarwal R.A. Piperonyl butoxide synengism with

Piperonyl butoxide synergism with two synthetic pyrethroids against Lymnaea acuminata, 493 Sironi M see Vecchi A. 1707

Skowroński T. Absorption of cadmium on green microalga Stichococcus bacillaris, 69 Skowroński T. and Przytocka-Jusiak

Skowroński T. and Przytocka-Jusiak M. Cadmium removal of green alga Stichococcus bacillaris, 77 Smith A.H. and Pearce N.E. Update of

soft tissue sarcoma and phenozyherbicides in New Zealand, 1795 Smith L.M see Stalling D.L. 1435 Smith R see O'Keefe P. 1127 Smith S.J see Patterson D.G. 2055

Smith W.E see Lamparski L.L. 1445, see Nestrick T.J. 1453 Smithies W see Birmingham B. 1835 Söderkvist P see Poellinger L. 1649 Söderström H see Colmsjö A.L. 169 Soikkell J see Passivirta J. 1429,

see Tarhanen J. 2109
Solkkeli J. Tarhanen J., Paasivirta
J. and Witick A. Mitticomponent
analysis method for dimeric
chlorophenol ethers (PCDEs, PCPAs
and PCBAs) in biological samples,

Solanas A.M see Bayona J.M. 595 Soley J see Clapés P. 395 Sotiriou N., Scheunert I. and Korte F. Fate of 1°C-1°N-labelled

urea-formaldehyde-polymers in soil and barley plants under outdoor conditions, 1073

outdoor conditions, 1072, 591tambtil E see Schreiner M. 2093 Srivastava R.C see Dwivedi P.P. 813 Stalling D.L., Peterman P.H., Smith: L.H., Morstrom R.J. and Simon M. Use of pattern recognition in the evaluation of PCDD and PCDF residue data from GC/MS analyses, 1435

Stanley J.S., Boggess K.E., Onstot J., Sack T.M., Remmers J.C., Breen J., Kutz F.W., Carra J., Robinson P. and Mack G.A. PCDDs and PCDFs in human adiposé tissue from the EPA

FY82 NHATS repository, 1605 Stara J.F see Mukerjee D. 1805 Steber J. and Wierich P. Properties of hydroxyethane diphosphonate affecting its environmental fate: degradabilty, sludge adsorption.

degradabilty, sludge adsorption.
mobility in soils, and bioconcentration, 929

Steen N.C., Vasilyeva G.K. and
Anan'eva N.D. Microbial
degradation of propanil in
aquatic systems, 917

Steiglitz L., Zwick G. and Roth W.

Investigation of different treatment techniques of PCD/PCPS in ment techniques for PCDD/PCDF in

fly ash, 1135

Stephens R.D. Transformer fire,
Spear Street Tower, One Market
Plaza, San Francisco, California,

Stevens T see Govers H. 383 Stiegitz L see Vogg H. 1373 Stoddart T.L. Demonstration of innovative remedial action technologies at United States military dioxin contaminated

sites, 1535
Stone W.B see Ryan J.J. 537
Stork T see Wollesen C. 2125
Strother D.L see Adams R.E. 1113 Subramanian A N see Tanabe S. 343 Sundstrom G see Asplund L. 619 Sundstrom G., Sawyer T., Hutzinger O. and Safe S. In vitro bloassays for toxic polychlorinated azo-benzenes, 2105 Surma-Aho K., Paasivirta

Surma-Aho K., Paasivirta
J., Rekolainen S. and Verta M.
Organic and inorganic mercury in
the food chain of some lakes and
reservoirs in Finland, 35
Suter-Hofmann M. and Schlatter Ch.

Toxicity of particulate emissions from a municipal incinerator: critique of the concepot of TCDD

equivalents, 1733
sanson S.E see Erickson M.D. 1261
seatlock J.A. and Gasiewicz T.A.
The interaction of 1,3-diary1triazenes with the Ah receptor, 1687

Sweeney S.A see Bennett W.E. 781 Swerev M see Ballschmiter K. 901 erev M. and Ballschmiter K. HPLC and heart cutting techniques of polychlorinated debenzofurans and polychlorinated dibenzodioxins,

Szakolcai A see Birmingham B. 1835

Takahashi K see Takenaka S. 739 Takenaka S., Takahashi K. and Masuda Y. Pharmacokinetics of polychlorinated quaterphenyl congeners in rats after an oral

dose, 739
Tanabe S., Subramanian A N., Hidaka
H. and Tatsukawa R. Transfer rates and pattern of PCB isomers and congeners and p.p'-DDE from mother to egg in adelie penquin (Pygoscelis adeliae), 343 rhanen J see Paasivirta J. 1429,

see Soikkeli J. 2103 Tarhanen J., Paasivirta J. and Soikkeli J. Multicomponent analysis method for PCDDs and PCDFs in biological samples, 2109 Tarkowski S. and Yrjänheikki E.

Polychlorinated dibenzo-p-dioxins and dibenzofurans in hu m milk reasons for concern, 1641

Tatsukawa R see Ono M. 1629, see
Tanabe S. 343, see Yamaguchi Y.

Teutsch H see Büther H. 1043

Thiemann W see Büther H. 1043, see Kleemeyer H. 687 Thies J see Neupert M. 1099 Thoma H. see Carsch S. 1927
Th

ash by high resolution mass spectrometry, 2115 Thoma H., Rist S., Hauschulz G. and Hutzinger O. Polybrominated dibenzodioxins (PBrDD) and dibenzofurans (PBrDF) iun some

flame retardant preparations, 2111 Thoma H., Rist S., Hauschulz G. and Hutzinger O. Polybrominated dibenzodioxins and -furans from the pyrolysis of some flame

retardants, 649 Thoma H. and Knorr E. Vergleich zweier Extraktionsmethoden zur analyse von Polychlorierten Dibenzo-dioxinen (PCDD) und Poly-chlorierten Dibenzo-furanen (PCDF) aus Flugasche, 645

Thomas R.S see Cuiu C. 1091 Thomason M.M see Adams R.E. 1113 Thorpe B.H see Birmingham B. 1835 Tkacz R.J see Maguire R.J. 253 Tobey S.W see Lamparski L.L. 1445, see Nestrick T.J. 1453

Tong H.Y. and Karasek F.W. Comparison of PCDD and PCDF in flyash collected from municipal incinerators of different

countries, 1219 Tong H.Y. and Karasek F.W. Comparison of quantitation of polychlorinated dibenzodioxins and polychlorinated dibenzofurans in complex environmental samples by high resolution gas chromatrography with flame ionization, electron capture and mass spectrometric detection, 1141 Tosine H see Birmingham B. Towner R.A see Safe S.H. 2085 Townsend D.I. The use of isomer

differentiate sources of dioxins into the environment, 1461

Trela K. The effect of emission of industrial dusts on bacteria in the waters of the Niepolomice

specific data to characterize and

Forest, 629 Trieff N.M see Kalmaz E.E. 183 Tysklind M see Rappe C. 1213

Umland F see Meyer J. 2035 Unger M.A., MacIntyre W.G., Greaves J. and Huggett R.J. GC Determination of butyltins in natural waters by flame photometric detection of hexyl derivatives with mass spectrometric confirmation, 461

Vasilyeva G.K see Steen W.C. 917 Vecchi A., Sironi M., Sfreddo-Gallotta E., Graziani A. and Cantoni L. Effect of inducers of P-450 cytochrome isoenzymes on TCDD immuno-suppressive activity, 1707

Weenhoven E see van den Berg M. 1477 Velberg S see Breugem P. 717 Velzy C.O see Hahn J.L. 1239 Velzy C.O. and President P.E. ASME Standard sampling and anlysis methods for dioxins/furans, 1179 Ventura F see Clapés P. 395 Verta M see Surma-Aho K. 353 Vicente M see Clapés P. 395 Vierle O see Schreiner M. 2093 Villeneuve J.-P. and Cattini C. Input of chlorinated hydrocarbons through dry and wet deposition to the Western Mediterranean, 115 Viveen B. Remedial action strategies for cleaning up the volgermeen

polder refuse dump, 1567 Vogg H. and Stieglitz L. Thermal behavior of PCDD/PCDF in fly ash from municipal incinerators, 1373 VonDemfange H.P see Hahn J.L. 1239

Wacker R., Poiger H. and Schlatter C. Pharmacokinetics and metabolism of 1,2,3,7,8-pentachlorodibenzo-p-dioxin in the rat, 1473 Wagenaar W.J see Opperhuizen A. 2049 Wagner K see Preiss U. 961

cimoto T see Ono M. 1629 Wallnofer P.H see Preiss U. 961, see Zitzelsberger W. 725 Wamhoff H see Abdou W.M. 1063 Wassermann O see Wollesen C. 2 Watkins D.A.M see Clark T. 765

Weber H. and Marti E. Unimolecular reaction rate theories of chlorinated dioxins and related compounds, 1333

webster G.R.B. see Choudhry G.G.
1935, see Rordorf B.F. 2073
Webster G.R.B., Muldrew D.H., Graham
J.J., Sarna L.P. and Muir D.C.G.
Dissolved organic matter mediated aquatic transport of chlorinated

aquatic transport of enformated dioxins, 1379 erasinghe N.C.A., Schecter A.J., Pan J.C., Lapp R.E., Giblin D.E., Meehan J.L., Hardell L. and Gross M.L. Levels of 2,3,7,8-tetrachlorodiberzo-p-dioxin (2,3,7,8-TCDD) in adipose tissue of U.S. Vietnam veterans seeking medical assistance, 1787

man R.C.C., Freudenthal J., de Korte G.A.L., Groenemeijer G.S. and Japenga J. A modified cleanup procedure for the deter mination of PCDDs in soil

samples, 1107 Weigelt V. Kapillargaschroma-tographische PCB-Musteranalyse Mariner spezies - Betrachtungen zwischen Anreicherung und Chlor-substitution Ausgewählter PCB-Komponenten in Marinen Organismen

aus der Deutschen Bucht., 289 Weis H see Neupert M. 1099 Wells D see Birmingham B. 1835 Wendling J.M see Graham M. 1595 Wierich P see Steber J. 929 Wilhelmsson A see Poellinger L. 1681 Wilkinson C.F see Denison M.S. 1665 Wilkinson R see Lawrence J. 1085 Wilson J.D see Graham M. 1595 Wilson L see O'Keefe P. 1127 Winer A.M see Pitts J.N., Jr. 675 Witick A see Soikkeli J. 2103 Wolff M.S., Fischbein A., Rosenm K.D. and Levin S.M. Pattern

designation of PCBS in human samples, 301 Wollesen C., Schulzeck S., Stork

T., Betz U. and Wassermann O. Effects of pure and technical grade pentachlorophenol on cultured rat hepatocytes, 2125

Wondergem E see Breugem P. 717 Wong P.T.S see Maguire R.J. 253 Woodrow J.E see Seiber J.N. 127

Wurst F see Scheidl K. 2089

Yanders A.F see Palausky J. 1389 Yanders A.F. The Missouri dioxin episode, 1571 Yoshimura H see Kuroki J. 731 Yoshimura H., Kamimura H., Oguri K.,Honda Y. and Nakano M. Stimulating effect of activated charcoal beads on fecal excretion of 2,3,4,7,8-pentachlorodibenzofuran in rats, 219
Yoshioka Y., Mizuno T., Ose Y. and
Sato T. The estimation for
toxicity of chemicals on fish by

physico-chemical properties, 195 Yrjānheikki E see Tarkowski S. 1641

Zapponi G see Pocchiari F. 1851 Zebühr Y.U see Colmsjö A.L. 169 Zelles L., Scheunert I. and Korte F.
Determination of the effect of
pentachlorophenol on the bioactivity of soils by the ironreduction test, 309
Ziegler W see Zitzelsberger W. 725
Zielinska B see Pitts J.N.,Jr. 675
Zijlstra J see Breugem P. 717
Zitzelsberger W.,Ziegler W. and

Wallnofer P.R. Riboflavin-photosensitized degradation of veratrylglycerol - p- arylethers, model compounds for lignin and chlorophenol and nitrophenol derived ligninbound residues, 725
Zmudzka B see Safe S. 1725
Zoller W. see Ballschmitter K. 1369
Zoller W. and Ballschmitter K.
Formation of polychlorinated
dibenzodioxins and dibenzofurans from chlorophenols and chlorophenols and chlorophenols and chlorophenates at various temperatures - identification of trichlorodibenzodioxins, 2129
Zsolnay A see Parlar H. 971
Zwick G see Steiglitz L. 1135

